

GURPS 4th Edition Game Aid for Foundry VTT (Unofficial)

“Your GURPS. Your way.”

Author's note:

After 5 months of discussions with Steve Jackson Games, we are now legally allowed to call ourselves “(Unofficial)”!

FYI, this Users Guide will never be completely in sync with the release. ;-) We only have so much free time, and I have always felt that it is more important to get the new features out there, than it is to document the old ones. However, I do my best to keep adding to this document every chance I get. I try to make a release video for each release, describing the new features. If it isn't documented here, you can check there:

[Release/Features videos for the GURPS Game Aid](#)

Chris Normand/Nose66 5/4/21

The screenshot displays the Foundry VTT interface with a GURPS character sheet for a character named 'Bog'. The sheet is organized into several sections:

- Portrait:** A character image of a warrior.
- Identity:** Name: Bog, Title: "Fighter", Player: [blank].
- Miscellaneous:** Created: Jun 7, 2019 at 12:00 AM, Modified: Apr 11, 2021 at 10:26 PM, Options: [blank].
- 150 Points:** -1 Points, Race, 112 Attributes, 31 Advantages, -25 Disadvantages, 0 Quirks, 32 Skills, 1 Spells.
- Description:** Gender: Male, Height: 6' 5", Weight: 250 lb, Hair: Bald, Eyes: Blue, Skin: Light Tan, Hand: Right, Age: 25, Size Modifier (SM): +0, Tech Level (TL): 3, Birthdate: September 4, Body Plan: Humanoid.
- Attributes:** [10] 16 Strength (ST), [10] 12 Dexterity (DX), [10] 9 Intelligence (IQ), [10] 13 Health (HT), [11] 13 Will, [15] 15 Fright Check.
- Hit Points:** -20, Normal.
- Fatigue:** -16, Normal.
- Hit Location:** Table with columns: Roll, Wound, Penalty, DR. Rows include Eye (-9, 0), Skull (-7, 2), Face (-5, 0), Right Leg (-2, 1), Right Arm (-2, 1), Torso (0, 3), Groin (-3, 2), Left Arm (-2, 1), Left Leg (-2, 1), Hand (-4, 0), Foot (-4, 0), Neck (-5, 0), Vitals (-3, 3).
- Encumbrance Move & Dodge:** Table with columns: Level, Max Load, Move, Dodge. Rows include None (0), Light (1), Medium (2), Heavy (3), X-heavy (4).
- Resource Trackers:** Control Points (0/0), Shield (5/5), Unrestrained (0/18), Resource2 (0/0).
- Lifting & Moving Things:** 51 lb Basic Lift, 102 lb One-Hand Lift, 408 lb Two-Hand Lift, 612 lb Shove & Knock Over, 1,224 lb Running Shove & Knock Over, 765 lb Carry on Back, 2,550 lb Shift Slightly.
- HP: 15/15, FP: 10/10, 4, 7/10/10**

Links	3
Videos (playlist: https://bit.ly/3c02xpa)	3
Installing the Game Aid	4
Install PDFfoundry	5
Getting started	5
Export from GCS	5
Export from GCA	6
Special Export Location	7
Importing into Foundry	8
How to play	10
Character Sheet	10
Player entered values	12
Modifier Bucket	14
System Settings	16
You are done! You can go play now.	16
Resource Trackers	16
User Interface	16
Editing the current value	17
Customizing the Resource Tracker	18
Edit Tracker	18
Thresholds	20
Important Concepts	21
Typical Uses	22
Ammunition	22
Shield Damage	23
“On-the-Fly” formulas	25
Special On-the-Fly formulas	28
One-the-Fly in Chat	31
Direct execution of One-the-Fly formulas	32
GM Send of On-the-Fly formulas	32
How to make an On-the-Fly “Blind”	33
On-the-Fly Roll Tables	33
How to Apply Damage	35
Mook Generator (how to create NPCs)	36
Chat commands (edited as of Nov 30 2021)	39
GM only chat commands:	46
Multiple chat commands on a single line	48
Some example chat macros	48
F.A.Q / “How To”	49
How do I roll for initiative?	49
	1

When I roll for initiative, I get this weird number that is greater than basic speed.	49
As a player, how do I roll a Perception check?	50
How do I request a Perception roll from my players?	50
What data paths can I use when building a Foundry roll?	52
How do I request a “Blind” Perception roll? I don’t want my players to know if they have succeeded	52
How do I ask a specific player for a roll / blindroll?	53
Can I apply a global modifier to everyone’s next roll?	54
How can I roll against a RollTable using the Modifier Bucket in a “script” macro?	55
Can I add the Modifier Bucket to the RollTable formula (without making a macro)? (e.g. Reaction tables)	55
Modules	56
Token Tooltip Alt	56
PDFFoundry	58
Dice so Nice!	59
Chat Portrait	60
It is an Alpha (maybe a Beta?)!	60
Chrome vs Firefox	60
Form vs Function	60
TO DO. What is “on the list”?	60
Disclaimer ;-)	64
Legal	64

Links

If you have questions, join our Discord channel, GURPS #vtt-foundry: <https://discord.gg/6xJBcYWyED> or the #gurps channel on Foundry.

If you have game issues or suggestions for new features visit our GitHub page:
<https://github.com/cnormand/gurps/issues>

ZIP file containing export scripts (required for GCA users):
https://drive.google.com/file/d/1vbDb9WtYQiZi78Pwa_TIEvYpJnR_S67B/view?usp=sharing

If you like our work, please consider supporting our work:
[Sponsor us on GitHub](#)
[Support us on Ko-Fi](#)

Lastly, you can email me at nose66 (at) bellsouth.net (but I would prefer if you used Discord).

Videos (playlist: <https://bit.ly/3c02xpa>)

Getting Started video: <https://youtu.be/YstMNNLwKBM>
Players Guide: https://youtu.be/x-xD39x_JQw

How to create NPCs: <https://www.youtube.com/watch?v=3Dyfh0peLI>

How to use On-the-Fly formulas: <https://www.youtube.com/watch?v=jSSfs2Red0A>

How to apply damage: <https://www.youtube.com/watch?v=6eaCyacs4N0>


How to add Items: <https://www.youtube.com/watch?v=cOU78-RvXdc>

How to use the /anim chat command: <https://www.youtube.com/watch?v=BAyko-unrEQ>


Playlist of [Release/Features videos for the GURPS Game Aid](#)

Installing the Game Aid

Our Game Aid can now be legally installed from the Foundry browser (as of 5/4/2021). Open Foundry and click on the “Game Systems” tab, and then the “Install System” button:



In the “Filter Packages” input field, type “GURPS”, and you will see our Game Aid:



Click the “Install” button and you are good to go! You will be notified if we release newer versions, and you can automatically upgrade from the “Game Systems” tab without having to reinstall.

Install PDFFoundry

To have access to your PDFs while in Foundry, we highly recommend installing and setting up the [PDFFoundry](#) module. It isn't required for our Game Aid... but you will want to install and configure it... trust me ;-)

Getting started

This game system expects that you will create and maintain your characters in an external program such as GURPS Character Sheet (GCS) <https://gurpscharactersheet.com> or GURPS Character Assistant (GCA) <http://www.sjgames.com/gurps/characterassistant/>.

The Game Aid has some editing functions, but due to the complexity of GURPS, it will leave all of the complex character creation rules to the applications that have been developed (for years!) specifically to handle them.

To use your characters into Foundry, it is best if you first create them in GCS or GCA, and then export them to Foundry. GMs can use the [Mook Generator \(how to create NPCs\)](#) to create simple NPCs in Foundry.

Export from GCS

As of the GCS Master Library update to v2.11 (March 10, 2021), you can export from GCS using the Foundry VTT export in the Master Library. **You do not need to download and install the output template.**


NOTE: This script was updated 3/8/2021. Version GCS-5

~~The export script is: <FoundryDataDirectory>/Data/systems/gurps/exportutils/Foundry VTT.xml~~

~~The file is also included in this [ZIP file](#).~~

~~Copy this file into your GCS data directory (on Windows, it is C:\users\\GCS\). Navigate to the “User Library” directory, create the new directory “Output Templates”, and place it there.~~

To export your character from GCS, load your character, select the menu options: “File” -> “Export To...” -> **“Master Library Output Templates”**, and then select “Foundry VTT”.



The file will be saved with the “.xml” extension. You can save the file anywhere, but check out [Special Export Location](#) for an added feature.

NOTE: The Fantasy Grounds XML export is no longer supported. Please use the Foundry VTT output template.

Export from GCA

To export from GCA, you must copy the export script from your Foundry data directory (or our online ZIP file) to the GCA “sheets” directory.


The export script is: `<FoundryDataDirectory>/Data/systems/gurps/exportutils/export to Foundry VTT.gce`

The file is also included in this [ZIP file](#).

NOTE: This script was updated 11/30/2021. Version: GCA-10

Copy the export script into your GCA "sheets" directory.

Load the character, and select the menu options "File" -> "Export". In the "Export Options" dialog, select "export to Foundry VTT.gce" in the pulldown, and check the "Custom file format" box.



NOTE: You DO NOT need to change the File extension. You may leave it as ".TXT".

Press "OK" and the "Export File To..." dialog will appear. Just press "Save", and it will save the export right next to your character (just remember to check "Custom file format"!). For example, if the character file is named:

Franklin Dunne (Cowboy).gca4

The export will be named:

Franklin Dunne (Cowboy).gca4.TXT


You can save the file anywhere, but check out [Special Export Location](#) for an added feature.

NOTE: The Fantasy Grounds XML export is no longer supported. Please use the new "export to Foundry VTT.gce" script.

Special Export Location

Our Game Aid has the ability to re-import characters without prompting for the file name if they are saved in a "Special" location.

Find the “User Data Path”. You can see what it is by bringing up the “Configuration” tab on the main Foundry page:



Open a file browser and navigate to the “User Data Path” directory. It will contain a “Data” subdirectory, navigate into that. In “Data”, you will see the subdirectories “modules”, “systems” and “worlds” (and there could be more). Create a new directory here to store characters, and under that, you can create subdirectories for each of your worlds (if you want).

For example, you could create the subdirectory “characters” and under it, you create “homegame” and “tuesdays”.

And in this example, when you export a character from GCA or GCS, export it into the appropriate subdirectory:

C:/Documents/Personal/FoundryVTT/Data/characters/homegame or

C:/Documents/Personal/FoundryVTT/Data/characters/tuesdays


After your initial import of the character (which will ask for a file location), the Game Aid will be able to detect that the file is in a well known (and safe) location, and can re-import it without bringing up the file dialog.

Importing into Foundry

Now that you have exported your characters, you must create a new Actor. Start Foundry and open your world. If you do not have a world yet, click on the “Game Worlds” tab, and then click the “Create World” button at the bottom. Give your world a title and data path name (which should not have spaces). Select the “GURPS 4th Edition Game Aid (Unofficial)” game system and press the “Create World” button at the bottom.

The import system for our Game Aid does NOT create Actors. It only refreshes already created Actors. This was done on purpose.

So you need to create an Actor. Open the Actors tab on the side bar (top right of your screen) and click on “Create Actor”:




Give the actor a name. It doesn't matter what you choose, since it will be overwritten by the import process. For this example, we will name it "q".

The default character sheet will open. Press the "Import" button in the title bar.



If this is the first time you are importing this character, a dialog will appear:



Select the file exported from GCS or GCA and press "Import". GCA users, the file does NOT need to end in ".xml". If you followed the procedure above, it should end in ".TXT".

NOTE: You will lose all of the data stored in "q". Which is fine, we are more interested in the data from GCS or GCA anyway.

In fact, you can re-import as many times as you like. The game system will keep the same Actor object, so it will remain associated with the same tokens.

This is the normal process. Create and maintain your characters in GCA/GCS and then re-export and import into Foundry everytime the character changes. If a character gains an "item"*, the GM should add the "item" in GCA/GCS (so that they can do all of the various calculations) and re-export / import.

*An "item" could be anything, a piece of equipment, a new advantage / disadvantage / skill / spell, etc. Anything that might provide a new feature or change the value of some existing roll.

If you saved your exported characters in the [Special Export Location](#), the Game Aid won't need to display the "Import character data" dialog on subsequent imports.

While our game aid does provide limited editing of the character sheet, it does not do any calculations on the new information. The limited editing is mainly there so that you (or the player) can add [On-the-Fly formulas](#) and take notes (see [Player entered values](#)).

How to play


Once all of your characters are imported into the system, you can play. We have a [Players Guide](#) video to help you get you started.

Character Sheet

If you are familiar with GCS, then you will recognize the character sheet. [Rich Wilkes](#) gave me permission to use his HTML format, so I did. Shamelessly ;-). If you have not used GCS, I highly recommend it. It is a free, cross platform (Windows, Mac and Linux) program and has been in active development for 21+ years.

<https://gurpscharactersheet.com> (and no, I am not getting paid for this promotion, I just really like it)

Bog Combat View Import Editor Sheet Prototype Token Close


Portrait	Identity	Miscellaneous	150 Points
	Name: Bog Title: "Fighter" Player:	Created: Jun 7, 2019 at 12:00 AM Modified: Jan 5, 2021 at 5:16 PM Options:	0 Unspent Race 112 Attributes 31 Advantages -25 Disadvantages 0 Quirks 32 Skills 0 Spells
	Description Gender: Male Height: 6' 5" Age: 25 Weight: 250 lb Birthday: September 4 Size: +0 Religion: TL: 3 Body Plan: Humanoid		Hair: Bald Eyes: Blue Skin: Light Tan Hand: Right

Attributes	Hit Points	Fatigue	Hit Location	Encumbrance, Move & Dodge																																																																																																							
[60] 16 Strength (ST) [40] 12 Dexterity (DX) [-20] 9 Intelligence (IQ) [30] 13 Health (HT)	- 8 + Normal [8] 20 Basic	- 16 + Normal [9] 16 Basic	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Roll</th> <th>Where</th> <th>Penalty</th> <th>DR</th> </tr> </thead> <tbody> <tr><td>-</td><td>Eye</td><td>-9</td><td>0</td></tr> <tr><td>3-4</td><td>Skull</td><td>-7</td><td>2</td></tr> <tr><td>5</td><td>Face</td><td>-5</td><td>0</td></tr> <tr><td>6-7</td><td>Right Leg</td><td>-2</td><td>0</td></tr> <tr><td>8</td><td>Right Arm</td><td>-2</td><td>0</td></tr> <tr><td>9-10</td><td>Torso</td><td>0</td><td>3</td></tr> <tr><td>11</td><td>Groin</td><td>-3</td><td>0</td></tr> <tr><td>12</td><td>Left Arm</td><td>-2</td><td>0</td></tr> <tr><td>13-14</td><td>Left Leg</td><td>-2</td><td>0</td></tr> <tr><td>15</td><td>Hand</td><td>-4</td><td>0</td></tr> <tr><td>16</td><td>Foot</td><td>-4</td><td>0</td></tr> <tr><td>17-18</td><td>Neck</td><td>-5</td><td>0</td></tr> <tr><td>-</td><td>Vitals</td><td>-3</td><td>3</td></tr> </tbody> </table>	Roll	Where	Penalty	DR	-	Eye	-9	0	3-4	Skull	-7	2	5	Face	-5	0	6-7	Right Leg	-2	0	8	Right Arm	-2	0	9-10	Torso	0	3	11	Groin	-3	0	12	Left Arm	-2	0	13-14	Left Leg	-2	0	15	Hand	-4	0	16	Foot	-4	0	17-18	Neck	-5	0	-	Vitals	-3	3	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Level</th> <th>Max Load</th> <th>Move</th> <th>Dodge</th> </tr> </thead> <tbody> <tr><td>None (0)</td><td>51 lb</td><td>5</td><td>9</td></tr> <tr><td>Light (1)</td><td>102 lb</td><td>4</td><td>8</td></tr> <tr><td>> Medium (2)</td><td>153 lb</td><td>3</td><td>7</td></tr> <tr><td>Heavy (3)</td><td>306 lb</td><td>2</td><td>6</td></tr> <tr><td>X-heavy (4)</td><td>510 lb</td><td>1</td><td>5</td></tr> </tbody> </table>	Level	Max Load	Move	Dodge	None (0)	51 lb	5	9	Light (1)	102 lb	4	8	> Medium (2)	153 lb	3	7	Heavy (3)	306 lb	2	6	X-heavy (4)	510 lb	1	5																							
Roll	Where	Penalty	DR																																																																																																								
-	Eye	-9	0																																																																																																								
3-4	Skull	-7	2																																																																																																								
5	Face	-5	0																																																																																																								
6-7	Right Leg	-2	0																																																																																																								
8	Right Arm	-2	0																																																																																																								
9-10	Torso	0	3																																																																																																								
11	Groin	-3	0																																																																																																								
12	Left Arm	-2	0																																																																																																								
13-14	Left Leg	-2	0																																																																																																								
15	Hand	-4	0																																																																																																								
16	Foot	-4	0																																																																																																								
17-18	Neck	-5	0																																																																																																								
-	Vitals	-3	3																																																																																																								
Level	Max Load	Move	Dodge																																																																																																								
None (0)	51 lb	5	9																																																																																																								
Light (1)	102 lb	4	8																																																																																																								
> Medium (2)	153 lb	3	7																																																																																																								
Heavy (3)	306 lb	2	6																																																																																																								
X-heavy (4)	510 lb	1	5																																																																																																								
[15] 13 Will 15 Fright Check [-25] 5 Basic Speed [0] 5 Basic Move [-5] 9 Perception (Per) 9 Vision 5 Hearing 9 Taste & Smell 9 Touch 1d+1 Basic Thrust 2d+2 Basic Swing	Resource Trackers <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Magic Beans</th> <th>Resource 1</th> <th>Resource 2</th> <th>Resource 3</th> </tr> </thead> <tbody> <tr> <td>- 12 + Normal (0/20)</td> <td>- 0 + Normal (0/0)</td> <td>- 0 + Normal (0/0)</td> <td>- 0 + Normal (0/0)</td> </tr> </tbody> </table>		Magic Beans	Resource 1	Resource 2	Resource 3	- 12 + Normal (0/20)	- 0 + Normal (0/0)	- 0 + Normal (0/0)	- 0 + Normal (0/0)	Encumbrance, Move & Dodge 51 lb Basic Lift 102 lb One-Handed Lift 408 lb Two-Handed Lift 612 lb Shove & Knock Over 1,224 lb Running Shove & Knock Over 765 lb Carry on Back 2,550 lb Shift Slightly																																																																																																
Magic Beans	Resource 1	Resource 2	Resource 3																																																																																																								
- 12 + Normal (0/20)	- 0 + Normal (0/0)	- 0 + Normal (0/0)	- 0 + Normal (0/0)																																																																																																								
Melee Weapons			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Usage</th> <th>Lvl</th> <th>Parry</th> <th>Block</th> <th>Damage</th> <th>Reach</th> <th>ST</th> </tr> </thead> <tbody> <tr> <td>2 Handed Great Axe +2 Mighty Blow *Costs 1FP</td> <td>Swung</td> <td>15</td> <td>11U</td> <td>2d+5 cut</td> <td>1,2*</td> <td>12†</td> </tr> <tr> <td>Balanced Throwing Axe</td> <td>Swung</td> <td>12</td> <td>10U</td> <td>2d+4 cut</td> <td>1</td> <td>11</td> </tr> </tbody> </table>	Usage	Lvl	Parry	Block	Damage	Reach	ST	2 Handed Great Axe +2 Mighty Blow *Costs 1FP	Swung	15	11U	2d+5 cut	1,2*	12†	Balanced Throwing Axe	Swung	12	10U	2d+4 cut	1	11																																																																																			
Usage	Lvl	Parry	Block	Damage	Reach	ST																																																																																																					
2 Handed Great Axe +2 Mighty Blow *Costs 1FP	Swung	15	11U	2d+5 cut	1,2*	12†																																																																																																					
Balanced Throwing Axe	Swung	12	10U	2d+4 cut	1	11																																																																																																					
Ranged Weapons			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Usage</th> <th>Lvl</th> <th>Acc</th> <th>Damage</th> <th>Range</th> <th>RoF</th> <th>Shots</th> <th>Bulk</th> <th>Rcl</th> <th>ST</th> </tr> </thead> <tbody> <tr> <td>Balanced Throwing Axe</td> <td>Thrown</td> <td>14</td> <td>+2 2d+4 cut</td> <td>x1/x1.5</td> <td>1</td> <td>T(1)</td> <td>-3</td> <td></td> <td>11</td> </tr> </tbody> </table>	Usage	Lvl	Acc	Damage	Range	RoF	Shots	Bulk	Rcl	ST	Balanced Throwing Axe	Thrown	14	+2 2d+4 cut	x1/x1.5	1	T(1)	-3		11																																																																																				
Usage	Lvl	Acc	Damage	Range	RoF	Shots	Bulk	Rcl	ST																																																																																																		
Balanced Throwing Axe	Thrown	14	+2 2d+4 cut	x1/x1.5	1	T(1)	-3		11																																																																																																		
Advantages, Disadvantages, Perks & Quirks			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Pts</th> <th>Ref</th> <th>Skills</th> <th>SL</th> <th>RSL</th> <th>Pts</th> <th>Ref</th> </tr> </thead> <tbody> <tr> <td>Bloodlust</td> <td>-5</td> <td>Lite 10</td> <td>Armoury/TL3</td> <td>9</td> <td>IQ+0</td> <td>2</td> <td>Lite 14</td> </tr> <tr> <td>Combat Reflexes +6 on all IQ rolls to wake up or recover from surprise/mental stun</td> <td>15</td> <td>Lite 8</td> <td>Axe/Mace</td> <td>12</td> <td>DX+0</td> <td>2</td> <td>Lite 15</td> </tr> <tr> <td>Hard of Hearing [S:*First Aid*] S:Brawl* S:Axe/Mace</td> <td>-10</td> <td>Lite 11</td> <td>Brawling</td> <td>14</td> <td>DX+2</td> <td>4</td> <td>Lite 14</td> </tr> <tr> <td>High Pain Threshold Never suffer shock penalties when injured; HT+3 to avoid knockdown and stunning; HT+3 to resist torture</td> <td>10</td> <td>Lite 9</td> <td>Carousing</td> <td>13</td> <td>HT+0</td> <td>1</td> <td>Lite 14</td> </tr> <tr> <td>Language: Common</td> <td>0</td> <td>Lite 7</td> <td>First Aid/TL3 1d-3! Healing</td> <td>10</td> <td>IQ+1</td> <td>2</td> <td>Lite 14</td> </tr> <tr> <td>Odious Personal Habit Smell, Especially bad when [Carous*-2 Smells bad]</td> <td>-10</td> <td>Lite 7</td> <td>Intimidation</td> <td>13</td> <td>Will+0</td> <td>2</td> <td>Lite 15</td> </tr> <tr> <td>Resistant to disease and poison</td> <td>6</td> <td>Lite 10</td> <td>Professional Skill (Blacksmith)</td> <td>12</td> <td>DX+0</td> <td>2</td> <td>B215</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Throwing</td> <td>11</td> <td>DX-1</td> <td>1</td> <td>Lite 17</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Thrown Weapon (Axe/Mace)</td> <td>14</td> <td>DX+2</td> <td>2</td> <td>Lite 17</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Two-Handed Axe/Mace</td> <td>15</td> <td>DX+3</td> <td>12</td> <td>Lite 15</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Wrestling</td> <td>12</td> <td>DX+0</td> <td>2</td> <td>B229</td> </tr> <tr> <td></td> <td></td> <td></td> <td>ST+2 Slam!</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Pts	Ref	Skills	SL	RSL	Pts	Ref	Bloodlust	-5	Lite 10	Armoury/TL3	9	IQ+0	2	Lite 14	Combat Reflexes +6 on all IQ rolls to wake up or recover from surprise/mental stun	15	Lite 8	Axe/Mace	12	DX+0	2	Lite 15	Hard of Hearing [S:*First Aid*] S:Brawl* S:Axe/Mace	-10	Lite 11	Brawling	14	DX+2	4	Lite 14	High Pain Threshold Never suffer shock penalties when injured; HT+3 to avoid knockdown and stunning; HT+3 to resist torture	10	Lite 9	Carousing	13	HT+0	1	Lite 14	Language: Common	0	Lite 7	First Aid/TL3 1d-3! Healing	10	IQ+1	2	Lite 14	Odious Personal Habit Smell, Especially bad when [Carous*-2 Smells bad]	-10	Lite 7	Intimidation	13	Will+0	2	Lite 15	Resistant to disease and poison	6	Lite 10	Professional Skill (Blacksmith)	12	DX+0	2	B215				Throwing	11	DX-1	1	Lite 17				Thrown Weapon (Axe/Mace)	14	DX+2	2	Lite 17				Two-Handed Axe/Mace	15	DX+3	12	Lite 15				Wrestling	12	DX+0	2	B229				ST+2 Slam!				
	Pts	Ref	Skills	SL	RSL	Pts	Ref																																																																																																				
Bloodlust	-5	Lite 10	Armoury/TL3	9	IQ+0	2	Lite 14																																																																																																				
Combat Reflexes +6 on all IQ rolls to wake up or recover from surprise/mental stun	15	Lite 8	Axe/Mace	12	DX+0	2	Lite 15																																																																																																				
Hard of Hearing [S:*First Aid*] S:Brawl* S:Axe/Mace	-10	Lite 11	Brawling	14	DX+2	4	Lite 14																																																																																																				
High Pain Threshold Never suffer shock penalties when injured; HT+3 to avoid knockdown and stunning; HT+3 to resist torture	10	Lite 9	Carousing	13	HT+0	1	Lite 14																																																																																																				
Language: Common	0	Lite 7	First Aid/TL3 1d-3! Healing	10	IQ+1	2	Lite 14																																																																																																				
Odious Personal Habit Smell, Especially bad when [Carous*-2 Smells bad]	-10	Lite 7	Intimidation	13	Will+0	2	Lite 15																																																																																																				
Resistant to disease and poison	6	Lite 10	Professional Skill (Blacksmith)	12	DX+0	2	B215																																																																																																				
			Throwing	11	DX-1	1	Lite 17																																																																																																				
			Thrown Weapon (Axe/Mace)	14	DX+2	2	Lite 17																																																																																																				
			Two-Handed Axe/Mace	15	DX+3	12	Lite 15																																																																																																				
			Wrestling	12	DX+0	2	B229																																																																																																				
			ST+2 Slam!																																																																																																								

You will notice that many items are highlighted in yellow. If you hover your mouse over them, they will change to look like a button:

Attributes	
[60]	16 Strength (ST)
[40]	12 Dexterity (DX)
[-20]	9 Intelligence (IQ)
[30]	13 Health (HT)

Left click on the button to "roll" that attribute. You will see a message in the chat log indicating the outcome:



You can roll Attributes, Dodge values, Weapon attacks (Lvl), Parry, Damage, Skills (SL), etc., anything yellow that looks like a button when you hover over it.

Player entered values

A player can edit their character sheet to store / remember various things. These values are NOT overwritten by the character import.

They can modify the FP and HP trackers and other [Resource Trackers](#) (See [Editing the current value](#)):

The character sheet for 'Bog' includes the following sections:

- Portrait:** A character image.
- Identity:** Name: Bog, Title: "Fighter", Player: [blank]
- Miscellaneous:** Created: Jun 7, 2019 at 12:00 AM, Modified: Apr 11, 2021 at 10:26 PM, Options: [blank]
- Description:** Gender: Male, Age: 25, Birthday: [blank], Religion: [blank], Height: 6' 5", Weight: 250 lb, Hair: Bald, Eyes: Blue, Skin: Light Tan, Hand: Right, Body Plan: Humanoid.
- Points:** 150 Points total, including -1 Points Race, 112 Attributes, 31 Advantages, -25 Disadvantages, 0 Quirks, 32 Skills, and 1 Spells.
- Attributes:** Strength (ST) 16, Dexterity (DX) 12, Intelligence (IQ) 9, Health (HT) 13, Will 13, Fright Check 15, Basic Speed 5, Basic Move 5, Perception (Per) 9, Vision 9, Hearing 9, Taste/Smell 9, Touch 9, Basic Thrust 1d+1, Basic Swing 2d+2.
- Hit Points:** 20, Normal, Basic 20.
- Fatigue:** 16, Normal, Basic 16.
- Resource Trackers:** Control Points 0, Shield 5, Unrestrained, Resource2 0, Resource3 0.
- Hit Location:** Table with columns for Roll, Where, Penalty, and DR.
- Encumbrance, Move & Dodge:** Table with columns for Level, Max Load, Move, and Dodge.
- Quick Note:** A section for saving text, with a red arrow pointing to it.

They can save text (especially ["On-the-Fly" formulas](#)) in the "Quick Note" section:

Bog GM Notes Combat View Import Editor Sheet Token Close

Portrait	Identity	Miscellaneous	150 Points
	Name: Bog Title: "Fighter" Player:	Created: Jun 7, 2019 at 12:00 AM Modified: Apr 11, 2021 at 10:26 PM Options:	-1 Points Race 112 Attributes 31 Advantages -25 Disadvantages 0 Quirks 32 Skills 1 Spells
Description			
Gender: Male Age: 25 Birthday: September 4 Religion:	Height: 6' 5" Weight: 250 lb Size Modifier (SM): +0 Tech Level (TL): 3 Body Plan: Humanoid	Hair: Bald Eyes: Blue Skin: Light Tan Hand: Right	

Attributes	Hit Points	Fatigue	Hit Location	Encumbrance, Move & Dodge
[60] 16 Strength (ST) [40] 12 Dexterity (DX) [-20] 9 Intelligence (IQ) [30] 13 Health (HT) [15] 13 Will 15 Fright Check [-25] 5 Basic Speed [0] 5 Basic Move [-5] 9 Perception (Per) 9 Vision 5 Hearing 9 Taste/Smell 9 Touch 1d+1 Basic Thrust 2d+2 Basic Swing	20 Normal [8] 20 Basic	16 Normal [9] 16 Basic	Roll Where Penalty DR - Eye -9 0 3-4 Skull -7 2 5 Face -5 0 6-7 Right Leg -2 1 8 Right Arm -2 1 9-10 T... 11 Groin -3 2 12 Left Arm -2 1 13-14 Left Leg -2 1 15 Hand -4 0 16 Foot -4 0 17-18 Neck -5 0 - Vitals -3 3	Level Max Load Move Dodge > None (0) 51 lb 5/10 9 Light (1) 102 lb 4/8 8 Medium (2) 153 lb 3/6 7 Heavy (3) 306 lb 1/3 6 X-heavy (4) 510 lb 1/1 5

Resource Trackers	Lifting & Moving Things
Control Points: 0 Unrestrained Shield: 5 Normal Resource2: 0 Normal Resource3: 0 Normal	51 lb Basic Lift 102 lb One-Hand Lift 408 lb Two-Hand Lift 612 lb Shove & Knock Over 1,224 lb Running Shove & Knock Over 765 lb Carry on Back 2,550 lb Shift Slightly

And they can add Notes or Equipment by clicking on the [+/-] buttons in the headers:

E	Qty	Equipment (46 lb; \$2345) +	Uses	\$	▲	Σ \$	Σ ▲	Ref				
X	1	2 Handed Great Axe +2 Mighty Blow *Costs 1FP		100	8 lb	100	8 lb	B274				
X	1	▼ Armor		0	0 lb	410	16.5 lb					
X	1	Cloth Sleeves		20	2 lb	20	2 lb	B283				
X	1	Leather Leggings		40	2 lb	40	2 lb	B283				
X	1	Sandals		25	0.5 lb	25	0.5 lb	B284				
X	1	Fur Tunic		25	2 lb	25	2 lb	B283				
X	1	Spiked Leather Armor Every turn, roll DX -4 to stab each enemy in close combat with you as a free action; success deals 1d-2 impaling damage. In addition, anyone who strikes such armor with an unarmed attack takes this damage to the attacking body part - and if the attack is a bite, grapple, or anything under Slams, Tramples, and Overruns DFE40, the attacker suffers maximum damage (4 points).		300	10 lb	300	10 lb	B283				
X	25	Copper Coin		1	0.02 lb	25	0.5 lb	DFE73				
	0	▼ Backpack		0	0 lb	0	0 lb					
	0	▼ Bag		0	0 lb	0	0 lb					
	7	Minor Healing Potion	qw	0	0 lb	0	0 lb					
X	1	Pump Shotgun, 12G		240	8 lb	240	8 lb	B279				
X	2	Balanced Throwing Axe		240	4 lb	480	8 lb	B271				
X	1	▼ Pouch, Small		10	0.5 lb	1090	5 lb	B288				
X	9	Minor Healing Potion		2	120	0.5 lb	1080	4.5 lb	DFA116			
Qty	Other Equipment (\$0) +						Uses	\$	▲	Σ \$	Σ ▲	Ref
	1	User Equipment1 This is the note of the equipment					0	0 lb	0	0 lb		
	Notes +											
	User Note1 Yes, I am taking notes!											

"User Created" Equipment and Notes display the blue banner icon:

And remember, "User Created" Equipment and Notes are NOT overwritten by a character import.

A user can also drag and drop Equipment, Skills, Spells, Advantages, etc. to rearrange the lists. However, this change in order WILL be overwritten by the next import.

Modifier Bucket


You will also notice a few things highlighted in orange. If you hover your mouse over them, they will also change to look like a button:

Hit Location			
Roll	Where	Penalty	DR
-	Eye	-9	0
3-4	Skull	-7	3
5	Face	-5	1
6-7	Right Leg	-2	3

Left click to add the modifier to the next roll that you do. If you have played GURPS before, you know that the usual process is to determine all of the modifiers to your action (e.g. is it dark? are you standing on a slippery surface? have you been blessed by the gods?) each of which can give a plus(+) or a minus(-) to your next roll.

The Modifier Bucket collects all of those modifiers and sums them up for you.

You will see the Modifier Bucket at the bottom of the screen:



It is showing the "-9" modifier that you just clicked on. When you hover over the red square at the bottom on the screen you will be presented with the Modifier Bucket Tool Tip:

CURRENT EFFECTS
No active character!

MELEE ATTACK

- +4 to hit (Determined Attack) [B365](#)
- +4 to hit (Telegraphic Attack) [MA113](#)
- 2 to hit (Deceptive Attack) [B369](#)
- 4 to hit (Move and Attack) *Max:9 [B365](#)
- +2 damage (Strong Attack) [B365](#)
- Extra Effort** [B357](#)
- +2 damage (Mighty Blow) *Cost 1FP [MA131](#)
- +0 Heroic Charge *Cost 1FP [MA131](#)

RANGED

- +1 Aim
- +1 to hit (Determined Attack) [B365](#)

Actions

- [WILL check to maintain Aim](#)

DEFENSE

- +2 All-Out Defense [B365](#)
- +1 to Dodge (Shield DB) [B374](#)
- +2 to Dodge (Acrobatics, success) [B374](#)
- +3 to Dodge (dodge and drop) [B377](#)
- +3 to Dodge (retreat) [B375](#)
- +1 to Block/Parry (retreat) [B377](#)
- 2 to Dodge (Acrobatics, failed) [B375](#)
- 2 to Dodge (attacked from side) [B390](#)
- 4 to Dodge (attacked from rear) [B391](#)

Extra Effort

- +2 Feverish Defense *Cost 1FP

Actions

- [WILL -3 Concentration check](#)

COMMON MODIFIERS

- Status and Afflictions
- Speed / Range
- Size Modifier
- Hit Locations (if miss by 1, then *)
- Cover and Posture
- Task Difficulty
- Equipment Quality
- Lighting
- Rate of Fire

OTHER MODIFIERS

- +1 +2 +3 +4 +5 -1 -2 -3 -4 -5 +1 GM said so
- 1 GM said so +4 GM blessed -4 GM don't try it

Or you can enter a modifier:

SEND MODIFIER BUCKET TO:

- CHRIS HARRY PLAYER 5
- PLAYER 6 PLAYER 7 PLAYER 8
- PLAYER 9
- EVERYONE!

CURRENT MODIFIERS

(click to remove)

-9 : to hit Eye

Total: **-9**

You can mouse over any of the highlighted text, and it will turn into a button that you can press. Green and Red buttons will add positive and negative modifiers to the bucket, which is displayed in the bottom left corner (“Current Modifiers”).

Since this is a tool tip, it will close automatically once you move your mouse off of it. If you would rather it appear when you click on it (and not when you mouse over it), uncheck the “Show Modifier Tooltip on mouse ‘hover’” in [System Settings](#).


You can remove any current modifiers by clicking on them. You can add commonly used modifiers by selecting them from the pulldown menus. If you don’t see a particular modifier that you want, you can always type it into the “Or you can type in a modifier:” field, for example “+2 to hit” or “-2 dazed”. The modifier MUST have a plus(+) or minus(-) in front of the number.

If you are the GM, you can send your modifier bucket to another player. This can be useful if a new player does not know all of the modifiers that could affect their roll. The GM can build up their own modifier bucket,

and then click the player name to send it to them. The player's modifier buckets will be whispered to you in the Chat log.

System Settings

To view the system settings available, open the "Game Settings" tab, and click on "Configure Settings". On the "Configure Game Settings" window, click on the "System Settings" to bring up the GURPS specific settings.



There are a few User Interface settings available to everyone, and a HUGE list of settings available to the GM. We try our best to provide as many options as we can, so you can play "Your GURPS, Your Way".

You are done! You can go play now.

That is the basics for using our Game Aid. You really don't need to know more. You can watch our [Getting Started](#) video or [Players Guide](#) video to see it in action.

The following sections are about advanced features, like Resource Trackers, "On-the-Fly" formulas or chat commands and macros, or features specifically for the GM (damage calculator).


Resource Trackers

The Full (GCS) character sheet and the Combat sheet both contain four "resource trackers" -- widgets whose job it is to view and manage quantities that increase or decrease with use. This is meant as a generic way to track resources important to the character.

These resources could be physical objects, such as crossbow bolts, bullets, or magic beans, or abstract quantities like control points (from [Fantastic Dungeon Grappling](#)), Quintessence ("The Fifth Attribute", [Pyramid 3/120](#)), or Destiny Points ([Monster Hunters](#)).

User Interface


This is what the Resource Trackers look like on the character sheet:



This example shows one 'used' Resource Tracker (Crossbow Bolts) and three trackers currently *unassigned* to any value. The darker background on the title bar shows that a specific tracker is currently in use.


In the bottom-right corner of each tracker are the configured minimum and maximum values for that tracker. In this case, the minimum for the Crossbow Bolts is zero (0) and the maximum is 20.

You'll also see text like 'Normal' below the input buttons and field. This is intended to reflect the 'status' of the resource, based on the current value and its maximum value. The status may also be colored as another hint of the status of that resource. For example:




Editing the current value

Increment/Decrement Buttons: You can increment or decrement the count of a tracker by clicking on the [+] or [-] buttons. Each click increases or decreases the current count by 1. Holding the Shift key down and clicking will increase or decrease the count by 5.

Reset Button: Clicking the curved arrow button  resets the tracker to its maximum value (unless the Resource Tracker is a "Damage Tracker", in which case it resets it to 0).

Resource Value Textfield: If you click into the text area, you can directly edit the value as well.




Quick Access Ribbon: If you click into the text area, a popup 'ribbon' will appear with buttons to increase or decrease the current value by 1, 5, or 10, set it to zero (0), or reset it to the current value (useful if you've clicked a number of those buttons but want to cancel the action).

Customizing the Resource Tracker

The simplest use of the Resource Tracker requires very little setup. It involves naming the resource and optionally setting its maximum value, and some 'thresholds' that serve as rules the tracker uses to display the Status Text and its color.

To edit a tracker, click on its titlebar (it shows a pencil icon) which opens a dialog that asks you what you want to do:




Edit Tracker: This will open the Tracker Editor, allowing you to change the configuration of this tracker.

Delete Tracker: This clears all configuration in the Resource Tracker, making it unassigned.

Copy Template: This allows you to copy the Resource Tracker configuration from a template defined for this game world. This makes it easy for the GM to define a standard resource that many or all characters should have. Clicking this button will copy the template named in the "Resource Tracker Templates" dropdown list into this specific Resource Tracker. This *overwrites* any current configuration of the selected Resource Tracker.

Edit Tracker

Clicking the Edit Tracker button opens the Resource Tracker Editor in its own window.



Resource Name: The only required configuration in a tracker is its name. This changes the name of the Resource Tracker on the character sheet and sets the titlebar color to black, showing that this Resource Tracker "slot" is in use.

Current: A number to use as the initial tracker value.

Minimum: The minimum value of the resource. At the moment this is informational only; it doesn't affect the tracker in any way. E.g., it does not prevent the resource from going below this value.

Maximum: The maximum value of the resource. It is potentially used in determining the Status Text and color. However, the resource value is not restricted from exceeding this value.

Alias: A short name used to refer to this resource. It is required if you want the resource to show up in the Apply Damage Dialog as a target of damage.

Reference: A GURPS PDF page reference, used by PDFfoundry to open the appropriate PDF inside Foundry. If entered, the bottom-left corner of the tracker will contain a link to open the PDF to the indicated page.

Use as Damage Type: If checked, this allows the resource to be used in the Apply Damage Dialog as a target of damage (see [How to Apply Damage](#)).

Damage Tracker: The assumption is that most resources start at a maximum value, and "damage" is represented by *subtracting* from the resource. This is the default behaviour and reflects how HP and FP work.


If this checkbox is checked, then "damage" is *added* to the current value (instead of subtracted). The damage is "tracked". This is how the "Control Points" Resource Tracker works (from [Fantastic Dungeon Grappling](#)).

Thresholds

Thresholds are used to set up ranges of values that correlate to a specific status of the resource. This is how you can customize the Status Text and its color in the tracker, and have it update automatically as the resource value increases and decreases.

You need to create one threshold for each status you want to display. The current resource status is determined by comparing the current value to its maximum value.

Clicking the '+' button will create a new threshold.



For each threshold, you need to define the following information:

Comparison: This is the type of comparison to do between the current value and threshold value (which is defined by the next two fields, *Operator* and *Value*). Possible values are:

- [$>$] - Greater Than
- [\geq] - Greater Than or Equal To
- [$<$] - Less Than
- [\leq] - Less Than or Equal To

Operator: A mathematical operator to apply to the resource's maximum value to get the threshold value.

Possible values:

- [MAX ×] - The resource maximum value *times* (or multiplied by) the next value
- [MAX ÷] - The resource maximum value *divided by* the next value
- [MAX +] - The resource maximum value *plus* the next value
- [MAX -] - The resource maximum value *minus* the next value

Value: The value to use in the calculation of the threshold value.

Condition: The name of the status.

Color: The color you want to assign to the status.

The trashcan icon is used to delete this threshold.

Important Concepts

Threshold Value: The threshold value is calculated by applying the *Operator* to the resource maximum and the *Value*.

For example, suppose we have a Resource whose maximum value is 15. If the *Operator* is [MAX +] and the *Value* is 5, then the *Threshold Value* is (15 + 5), or 20.

Resource Status: To determine the current status of a resource, **the current value is compared, one-by-one, to each *Threshold Value* starting from the top of the list and moving towards the bottom.** The first calculation that is 'true' is used as the *Resource Status*.

For example, assume we have the following list of thresholds:

Current Value			Condition	Color
>	Max ×	1	Over	Purple
>	Max ÷	2	Normal	Green
>	Max ×	0	Low	Orange
≤	Max ×	0	Under	Red

Also assume that the resource maximum is 18.

If the value of the the Resource Tracker is:

- 20
 - Is 20 greater than 18 (MAX × 1)? *Yes. The status is **Over**.*
- 18
 - Is 18 greater than 18 (MAX × 1)? *No.*
 - Is 18 greater than 9 (MAX ÷ 2)? *Yes. The status is **Normal**.*
- 3

- Is 3 greater than 18 (MAX × 1)? *No.*
- Is 3 greater than 9 (MAX ÷ 2)? *No.*
- Is 3 greater than 0 (MAX × 0)? *Yes. The status is **Low**.*
- 0
 - Is 0 greater than 18 (MAX × 1)? *No.*
 - Is 0 greater than 9 (MAX ÷ 2)? *No.*
 - Is 0 greater than 0 (MAX × 0)? *No.*
 - Is 0 less than or equal to 0 (MAX × 0)? *Yes. The status is **Under**.*

Here's another example that copies the logic used to track Fatigue. I hope this makes it easier to understand how to set thresholds to drive the correct Status Text and color.

For FP, the possible statuses are (see page B426):





Normal: The current FP value is *greater than or equal to* 1/3 your basic (Max) FP.

Very Tired: The current FP value is *less than* 1/3 of your basic (Max) FP but *greater than* zero (0).

Verge of Collapse: The current FP is *less than or equal to* zero (0) and *greater than* -1 × basic (Max) FP.

Unconscious: The current FP is *less than or equal to* -1 × basic (Max) FP.

You could make a Resource Tracker that works like Fatigue, you would create thresholds like this:


Thresholds:			Condition	Color
— Current Value —				
≥	Max ÷	3	Normal	
>	Max ×	0	Tired	
>	Max ×	-1	Collapse	
≤	Max ×	-1	Unconscious	

Typical Uses

The following are some examples that you can copy to get some basic Resource Tracker functionality.

Ammunition

Use a resource tracker to track the bullets in a clip or magazine. In this example, the magazine contains 22 bullets. You want to show the Status Text as "OK" with a green highlight while there are more than 6 bullets in the magazine; as "Running Low" with a yellow highlight if there are 1-6 bullets, and "Empty" with red highlight if the magazine is empty.



Shield Damage

Use a resource tracker to track the HP of a shield and have the ability to apply normal damage to the shield instead of the character. Let's assume we are talking about a *Large Shield* (B287) with DR 9, HP 60.




Normal: Shields provide their normal protection as long as their current HPs are greater than zero (0).

Disabled: If equal to or less than zero (0), but greater than $-5 \times \text{HP}$, the shield must make a HT roll or is disabled or destroyed, and no longer provides any protection. It is still attached to the wearer and encumbers them.

Collapse: At equal to or less than $-5 \times \text{HP}$ but greater than $-10 \times \text{HP}$, the shield automatically fails but is still attached/worn.

Destroyed: At less than or equal to $-10 \times \text{HP}$ the shield is totally physically destroyed and falls off the wearer.

NOTE: To be able to apply damage directly to this tracker, it requires the alias to be defined (in this case "shld") and the "Use as Damage Type" box must be checked.



With this setup, you can drag a damage chat onto this character, and when the ADD pops up, select Apply To: "Large Shield". You'd have to override the DR to be the DR of the shield, and select the Injury Tolerance: Homogenous, then Apply Injury to damage the shield.

Apply Damage Dialog Modified: Sep 4, 2019 at 2:31 PM U Points Race 110 Attributes X Close

Apply 5 points of 'cut' damage to Arne Arneson

DIRECTLY APPLY: Large Shield

APPLY DAMAGE OPTIONS:

HIT LOCATION & DR			TYPE & WOUNDING MODIFIERS			TACTICAL RULES	
Location	Roll	DR	Damage Type	Abbrev	Modifier	Use systems settings to set defaults.	
<input type="radio"/> Eye	-	0	<input type="radio"/> Burning	burn	x1	<input checked="" type="checkbox"/> Blunt Trauma	B379
<input type="radio"/> Skull	3-4	5	<input type="radio"/> Corrosive	cor	x1	<input checked="" type="checkbox"/> Hit Location Wound Modifiers	B398
<input type="radio"/> Face	5	0	<input type="radio"/> Crushing	cr	x1	SPECIAL SITUATIONS	
<input type="radio"/> Right Leg	6-7	3	<input checked="" type="radio"/> Cutting	cut	x1.5	<input type="checkbox"/> Ranged, Half Damage (1/2D)	B378
<input type="radio"/> Right Arm	8	3	<input type="radio"/> Fatigue	fat	x1	<input type="checkbox"/> Vulnerability:	B161
<input checked="" type="radio"/> Torso	9-10	3	<input type="radio"/> Impaling	imp	x0.5†	<input type="checkbox"/> Armor Divisor: <input type="text" value="None"/>	B378
<input type="radio"/> Groin	11	3	<input type="radio"/> Small Piercing	pi-	x0.1†	<input type="checkbox"/> Hardened DR Level: <input type="text" value="1"/>	B47
<input type="radio"/> Left Arm	12	3	<input type="radio"/> Piercing	pi	x0.2†	<input checked="" type="checkbox"/> Injury Tolerance:	B60
<input type="radio"/> Left Leg	13-14	3	<input type="radio"/> Large Piercing	pi+	x1/3†	<input type="radio"/> Unliving	B380
<input type="radio"/> Hand	15	3	<input type="radio"/> Huge Piercing	pi++	x0.5†	<input checked="" type="radio"/> Homogenous	B380
<input type="radio"/> Foot	16	3	<input type="radio"/> Toxic	tox	x1	<input type="radio"/> Diffuse	B380
<input type="radio"/> Neck	17-18	3	<input type="radio"/> Damage	dmg	x1	<input type="checkbox"/> Damage Reduction: <input type="text" value=""/>	P53
<input type="radio"/> Vitals	-	3	<input type="radio"/> Control Points	ctrl	x1	<input type="checkbox"/> Explosion:	B414
<input type="button" value="RANDOM"/>			<input type="radio"/> Shield	shield	x1	<input type="checkbox"/> Flexible Armor (Blunt Trauma): <input type="text" value="0"/>	B409
<input type="radio"/> Large-Area Injury B400			† - Adjusted for Injury Tolerance.			<input type="checkbox"/> Shotgun, Extremely Close:	B409
Override DR for Location: <input type="text" value="9"/>	<input type="radio"/> No Modifier		<input type="text" value="1"/>				
	<input type="radio"/> Enter modifier:		<input type="text" value="0"/>				
	Additional modifier (stacks):						

CALCULATION & RESULTS

BASIC DAMAGE **5** shld

DR **9** Torso (overridden)

PENETRATING **0** = 5 - 9

MODIFIER **x1.5** cut

INJURY **0** = 0 x 1.5 Apply multiple times:

Arne Arneson Now

... injures Arne Arneson for 9 points of Large Shield damage.

"On-the-Fly" formulas

This is my favorite feature! If you have played GURPS, then you know it can get very complex (if you let it). To help facilitate this complexity, the character sheet can parse text fields to create actionable buttons.

Huh? Sorry, too much corporate speak. Basically, you can embed text in your character sheet, Journal entries or even chat messages in the form “[*something*]” and if that *something* is one of the following formats, it will change the text into a button, and you can click it.

If that doesn't interest you, read this testimonial:

*“To be honest, at first I didn't value OtF - I couldn't see the potential. But man, what a game changer it is! Using it for everything, rule look-ups with direct roll options, roll-tables, chat-roll, in character sheets ... Just made a brief rule summary for avalanches from DF. Every needed skill roll, with default (and soon alternate attribute based) just a click away. Including from where the avalanche comes, how hard it hits, how to resist... It's so f** great! I now use rules for my party which I would have never ever used before because it would have been too much fuzz to look it up.”*

Or watch the How To video: ["On the Fly " formulas \(and why you need to learn about them!\)](#)

NOTE: All of the formats are case in-sensitive.

<i>What to insert into the character sheet, Journal Entry or chat message:</i>	<i>What it will do:</i>
[ST]	Roll against the character's attribute. ST, IQ, DX, HT, WILL (or Will), PER (or Per).
[IQ-2 <i>text</i>] [Will-2 <i>text</i>]	Roll against an attribute, applying the modifier “-2 <i>text</i> ” to the roll. NOTE: There is no space between the attribute and the modifier.
[CR: 15 <i>text</i>]	Control Roll vs 15, with optional <i>text</i> displayed in chat. NOTE: GCS automatically adds this as a note for Self Control.
[1d+3 <i>text</i>]	An unopposed roll using the formula $Xd[+/-Y]$, with optional <i>text</i> displayed in chat.
[1d-3! <i>text</i>]	As above, with a minimum result of 1 (instead of 0). EX: [1d-3! Healing]
[2d cut] [2d (2) imp] [2dx3 (0.4) cr] [4d*5 burn] [2d-1 burn *Costs 1FP]	If the text following the dice formula is one of the recognized GURPS damage types: burn, cor, cr, cut, fat, imp, pi-, pi, pi+, pi++, tox (or dmg), then it is considered a “ <i>Damage</i> ” roll (and displayed as such in the chat). May have a multiplier (x/X/*)M and/or an armor divisor (N). May add “*Costs XFP” to incur FP cost of X. No other <i>text</i> allowed. See Specials for more uses.
[S: <i>name</i>]	Roll against the character's Skill or Spell that starts with “ <i>name</i> ”. The Skill/Spell name cannot contain spaces. E.g. [S:Brawl] will match “Brawling”, [S:First] will match “First Aid/TL3”. Skills are searched first, then Spells.
[S: <i>name</i> -2 <i>text</i>]	As above, applying the modifier “-2 <i>text</i> ” to the roll. NOTE: There is no space between the Skill/Spell name and the modifier.
[S: <i>name</i> -2 <i>text</i>]	You can use any number of “*” to match Skill/Spell names. Remember, there is an implied “*” at the end. E.g. [S:F*Aid] will match “First Aid/TL3”
[S:“ <i>name with spaces</i> ”]	Roll against the character's Skill or Spell that starts with “ <i>name with spaces</i> ”. Since the name is enclosed in double quotes (“”), it can contain spaces.

[S:"name with spaces"+2 text]	As above, applying the modifier "+2 text" to the roll. NOTE: There is no space between the Skill/Spell name and the modifier.
[Sk:name] [Sk:name-2 text] [Sk:name-2 text] [Sk:"name with spcs"] [Sk:"name with spaces"+2 text]	As above, but ONLY looks through the list of Skills.
[Sp:name] [Sp:name-2 text] [Sp:name-2 text] [Sp:"name with spcs"] [Sp:"name with spaces"+2 text]	As above, but ONLY looks through the list of Spells.
[A:name] [A:name-2 text] [A:n*a*m*e] [A:"name with spaces"] [A:"name with spaces"+2 text]	As above, but for Attacks. Melee attacks are searched first, then Ranged. NOTE: The "Usage" is included in the search. EX: If you have Melee: Throwing Axe (Swung) Ranged: Throwing Axe (Thrown) [A:Throwing*Axe*Thrown] will roll against the Ranged attack.
[M:name] [M:name-2 text] [M:n*a*m*e] [M:"name with spaces"] [M:"name with spaces"+2 text]	As above, but only for Melee Attacks. The list of Ranged attacks is not searched.
[R:name] [R:name-2 text] [R:n*a*m*e] [R:"name with spaces"] [R:"name with spaces"+2 text]	As above, but only for Ranged Attacks. The list of Melee attacks is not searched.
[D:name] [D:name-2 text] [D:n*a*m*e] [D:"name with spaces"] [D:"name with spaces"+2 text]	As above, but this rolls the Damage of the attack, not the attack skill.
[P:name] [P:name-2 text] [P:n*a*m*e] [P:"name with spaces"] [P:"name with spaces"+2 text]	As above, but this rolls the Parry of the attack, not the attack skill.
[ST26]	Roll against ST 26. Useful when describing powers that operate at a set level. No optional text or modifiers may be added.





[S:Skillname=15]	Roll against <i>Skillname</i> at 15. As above, it is useful to show a roll for a particular Skill at a set number.
[+2 <i>text</i>]	Add a global modifier described with <i>text</i> . EX: [-2 to hit], [+2 Mighty Blow], etc. NOTE: Modifiers can be clicked multiple times. EX: [-1 due to range]
[+2 dmg *Cost 1 FP]	If a modifier ends with “*Costs ?FP”, then that amount of FP will be subtracted from the currently active character when the roll is made. Ex: [+2 dmg (Mighty Blow) *Costs 1FP]. See Specials for more uses.
[-4 to hit *Max:9]	If a modifier end with “*Max:?” , then the target level is limited to “?”. EX: [-4 to hit (Charge Attack) *Max:9]
[PDF:B208]	Create a link to open the Basic Set PDF to page 208. Uses PDFFoundry
[SW cut] [THR-1 imp] [SW cut *Costs 2FP]	Roll damage based on the character's basic swing and thrust. Must include one of the recognized GURPS damage types. May add “*Costs XFP” to incur FP cost of X. No other <i>text</i> allowed. See Specials for more uses.
[Dodge]	Roll vs the active character's Dodge value
[Dodge+1 <i>text</i>]	Roll vs the active character's Dodge value, applying the modifier “+1 <i>text</i> ” to the roll. NOTE: There is no space in front of the modifier.
[Fright Check]	Roll vs the active character's Fright Check value
[Fright Check+1 <i>text</i>]	Roll vs the active character's Fright Check value, applying the modifier “+1 <i>text</i> ” to the roll. NOTE: There is no space in front of the modifier.
[Vision] [Hearing] [Taste] [Touch] [Smell]	Roll vs the active character's value
[Vision+1 <i>text</i>] [Hearing+1 <i>text</i>] [Taste+1 <i>text</i>] [Touch+1 <i>text</i>] [Smell+1 <i>text</i>]	Roll vs the active character's value, applying the modifier “+1 <i>text</i> ” to the roll. NOTE: There is no space in front of the modifier.
[Parry] [Block]	Find the first melee weapon (that is equipped) with a Parry (or Block) level, and roll it.
[Parry: <i>text</i>] [Block: <i>text</i>]	Find the first melee weapon with a Parry (or Block) level, that starts with <i>text</i> , and roll it. Used when the character is not wielding the first weapon in the list, and you are not using the “Equipped” status of equipment to indicate the active weapon.

Special On-the-Fly formulas

Besides all of the cool things that you can do (listed above), we have a few more tricks up our sleeve.

[!otf-formula]	If you start the On-the-Fly formula with “!”, it will create a Blind Roll. If a
----------------	--

	<p>player clicks on this button, it will show the results to the GM only. Note, this only works for “target” formulas (Attribute/Skill/Spell/Attack checks). It does not work for modifiers or damage rolls. EX: [!PER] Creates a Blindroll for Perception.</p>
[+2 Aim & +1 Determined]	<p>Combine multiple modifiers into a single On-the-Fly formula (and therefore, a single button). You can combine unlimited numbers of modifiers, separated by &. EX: [+2 Aim & +1 Determined & +2 to hit (prone) & +1 lucky] NOTE: This only works for modifiers.</p>
[S:Longsword (Based:IQ)] [S:Lockpicking (B:DX)]	<p>Make a skill roll based on another Attribute.</p>
[S:Tactics IQ -6] [S:Acrobatics S:Judo-2 DX-4]	<p>“Skill Tree”: Pick the best roll from a list of Skills and Attributes (including modifiers) for a character and roll that. You can have unlimited numbers of Skills and Attribute checks, separated by . This only works for Skills or Spells (S:Skillname), Attributes (ST, IQ, DX, HT, Per, Will), Fright Check, Vision, Hearing, Taste Smell, Touch, Dodge, Block, and Parry</p>
[S:Search ? “You found it!”] [IQ ? “Idea!”, “No Clue”] [HT ? “Awake”: “Fall asleep”]	<p>“Conditional Text”: Based on the result of a Skill/Attribute/”Skill Tree” check, whisper some text to the user. The text IS NOT displayed in the button, so the user does not know what will be reported. If the test passes, the first string is whispered to the user. If the test fails, and there is an optional second string, it is whispered to the user.</p>
[/chat command]	<p>You can execute a chat command. See Chat commands. [:macro] is a useful way to execute a macro from an On-the-Fly button.</p>
[?A:name] [?AD:name] [?AT:name] [?M:name] [?R:name] [?S:name] [?SK:name] [?SP:name]	<p>Return true if an element in the indicated lists exists with that name. Only useful with the /if chat command. A: Advantages and Attacks (Melee and Ranged) AD: Advantages AT: Attacks (Melee and Ranged) M: Melee R: Ranged S: Skills and Spells SK: Skills SP: Spells Eaxmples: /if [?AD:Hard To Kill] [HT+2] [HT-2] /if [?Sk:Acrobatics] {/if [SK:Acrobatics] [Dodge+2] [Dodge -2]} {[Dodge]}</p>
[“Some Label” <i>otf-formula</i>]	<p>Make the On-the-Fly button appear as “Some Label”. Extremely useful when using chat macros in On-the-Fly buttons.</p> <p>For example, for following buttons do the same thing:</p> <p>[S:Acrobatics S:Judo DX-4] [“Knockback check” S:Acrobatics S:Judo DX-4]</p> <p>But they appear as:</p>

	  <p>Or my new favorite, the Acrobatic Dodge formula:</p> <pre>[/if [S:Acrobatics] [Dodge +2] /else [Dodge -2]] ["Acrobatic Dodge!" /if [S:Acrobatics] [Dodge +2] /else [Dodge -2]]</pre> <p>Which display like:</p>  
<ul style="list-style-type: none"> *Costs X FP *Costs X HP *Costs X trN *Costs X tr(<i>name</i>) 	<p>Many On-the-Fly formulas can include a “*Costs “ description, and if so, that cost will be paid when the roll is made.</p> <p>We support FP & HP costs, as well as costs from a Resource Tracker. You can identify the Tracker with either its number N (0-3) or by including its <i>name</i> in ().</p>

You can add **On-the-Fly** text in the title/name or notes section of an “item” (Attack, Equipment, Advantage, Skill, Spell, etc.), or the “user description” section (available in GCS) for advantages / disadvantages. You can also add **On-the-Fly** formulas to Journals entries, RollTables and [Chat messages](#).

Some examples.

“[1d-3! Healing]” added to the notes section of the First Aid skill:

Carousing	13	HT+0	1	Lite 14
First Aid/TI 3	10	IQ+1	2	Lite 14
1d-3! Healing				
Intimidation	13	Will+0	2	Lite 15

“[1d Healing Potion]” added to the notes section of the Healing Potion equipment:

X	1	Potion Belt 4 bottles/8 vials. Ready/Fast-Draw. +2 DR for contents.	60	1 lbs		DFA112
X	4	Healing Potion. Minor 1d Healing Potion	20	0.5 lbs		DFA115

IMHO, this is especially useful if you create characters with any of the “Powers as Magic” systems, Thaumatology: Sorcery, Divine Favor, etc. Here are some of the Advantages for a character that I created as a Hogwarts student, using a variation on Sorcery. The Advantages below “Signature Gear (Wand)” are spells:


Advantages, Disadvantages, Perks & Quirks		Pts
Wizardry 4 [No hardcore improv; Limited to College of Hogwarts] Roll vs IQ [+1 Wizardry Talent] [+1 for Luna's Wand] [No hardcore improv; Limited to College of Hogwarts]		33
Wizardry Talent 1 Add [+1 to any Wizardry related roll (IQ, Attack, etc.)]		5
Signature Gear (Wand) +1 IQ rolls for Wizardry (casting spells and parry)		2
Alohomora 2 Unlocks doors and other objects. Roll [Lockpicking*+1]. It takes 15 seconds to cast. Telekinesis 2 (unlock door) (One Task, Lockpicking)		0
Appare Vestigium Reveals traces of magic. Roll [PER+1] to detect, and [IQ+1] to analyze. Detect Magic (Sense Roll, Roll vs IQ for analysis)		0
Homenum Revelio Reveals human presence nearby. Roll [PER+1] to detect, and [IQ+1] to analyze. Detect Human (Sense Roll, Roll vs IQ for analysis)		0
Incendio (Create normal, non-magical fire)		0
Nebulus 10 Create a Fog bank (4 yd radius/7 yd diameter) around the caster for 10 minutes. [-10 Fog] Fog encircles the character, -10 vision (Area Effect (4 yd radius); Max Duration (10 mins))		0
Wingardium Leviosa 4 Make small objects (up to 3.2 lbs) levitate. Telekinesis 4 (BL 3.2 lbs) Levitate		0
Accio Summoning Charm. Summon an object (up to 30 lbs) toward the caster (usually from a long distance). [Cost 2FP] Summoning Charm (Up to 30lbs; Recall object)		4
Aguamenti 1 Shoot a thin jet of water from your wand, which can strike any target up to 10 yards away. It can be dodged or blocked, but not parried. This jet does [1d cr] damage, doubled, for the purposes of knockback only and it can put out fires. It does double damage against diffuse or flame targets. 1/2 D & Max 10yds (Blockable; Double Knockback; Increased 1/2D; Reduced Range (1/5); Can extinguish fire; Cosmic: Does knockback-based damage against diffuse and flame targets; Jet; No wounding)		1
Confundo Confundus Charm; causes the victim to become confused and disoriented. Contest your [Will] [-1 per hex] vs their HT. They become Dazed for margin of failure minutes. Confundus Charm; causes the victim to become confused (Malediction 1; Daze (You are conscious. If you are standing, you remain upright but you can do nothing. If you are struck, slapped, or shaken, you recover on your next turn.))		4

All of the “actionable” things are highlighted in yellow or orange and can be clicked on.

One-the-Fly in Chat

As of v0.8.0 anyone can type an On-the-Fly formula into the chat window. Useful if you are trying to help a player make a particular roll.

For example, a player needs to roll against their First Aid skill, but is having trouble finding it on the character sheet. You can type:




In chat, and a chat message will appear with the text highlighted in yellow. If the player mouses over it, it will appear as a button




And if they press it, it will roll the Skill that starts with “First*Aid” on their character.

You can also whisper it to them:



becomes:



Direct execution of On-the-Fly formulas

As of v0.8.3, you can directly “roll” an **On-the-Fly** formula to have it execute immediately. You can directly execute **On-the-Fly** formulas from chat, in a rolltable entry, or even a macro. EX:

```
/r [otf-formula]  
/roll [otf-formula]
```


Or, to roll them privately (so only you can see the results):

```
/pr [otf-formula]  
/private [otf-formula]
```

GM Send of On-the-Fly formulas

As of v0.8.1, the GM (only) can right mouse click on any clickable/rollable item in a character sheet or Journal entry to be sent as an **On-the-Fly** formula in a chat message. This can be very useful to help new players determine which roll to execute.

For example, if the GM opens a player’s character sheet and right mouse clicks on the “First Aid/TL3” skill button, this dialog will appear:



The GM can select to send that **On-the-Fly** formula to Everyone, Everyone as a Blind Roll, Just the Owner of that character or Just the Owner of that character as a Blind Roll.


NOTE: Any **On-the-Fly** formula can be sent. If you can click on it, you can send it.

How to make an **On-the-Fly** "Blind"

As mentioned in the last row of the **On-the-Fly** formula table above, you can convert many **On-the-Fly** formulas into a Blind Roll (which means the player will not see the result). Just prepend any **On-the-Fly** formula with "!". For example, sending the chat message:

It is dark, please click this button [!PER]







Which will appear in everyone's chat log as:









And when the player clicks on that button, it will roll against their active character, and only show the results to the GM(s).

On-the-Fly Roll Tables

Because the chat is parsed for **On-the-Fly** formulas, you can now add **On-the-Fly** formulas to Roll Tables:

	Text	[S:"First Aid*"]	1	1	-	1
	Text	[PDF:Lite 1]	1	2	-	2
	Text	[2d-3]	1	3	-	3
	Text	[ST+1]	1	4	-	4
	Text	[+3 Wow]	1	5	-	5
	Text	[A:"2 Handed Great Axe"]	1	6	-	6

And the results:

<p>Gamemaster 3m ago</p> <p>Draws a result from the Test table.</p> <p>1d6</p> <p>6</p> <p> A:2 Handed Great Axe</p>	<p>Gamemaster 3m ago</p> <p>Draws a result from the Test table.</p> <p>1d6</p> <p>1</p> <p> S:First Aid*</p>	<p>Gamemaster 3m ago</p> <p>Draws a result from the Test table.</p> <p>1d6</p> <p>3</p> <p> 2d-3</p>
<p>Gamemaster 2m ago</p> <p>Draws a result from the Test table.</p> <p>1d6</p> <p>4</p> <p> ST+1</p>	<p>Gamemaster 3m ago</p> <p>Draws a result from the Test table.</p> <p>1d6</p> <p>5</p> <p> +3 Wow</p>	<p>Gamemaster 3m ago</p> <p>Draws a result from the Test table.</p> <p>1d6</p> <p>2</p> <p> Lite 1</p>

As of v0.8.5, you can include direct private rolls. For example, to create a table that rolls random Trap damage, you could do:

Table Configuration: Trap Damage ✕ Close

Trap Damage

Table Description

Roll Table Formula 1d4

Draw with Replacement?

Display Roll to Chat?

	+ Result Type	Result Details	Weight	Range	
	Text ▾	/pr [1d-5! burn]	1	1 - 3	
	Text ▾	/pr [1d burn]	1	4 - 5	
	Text ▾	/pr [2d burn]	1	5 - 6	

Update
 Reset
 Roll

Which will automatically roll the damage privately so the GM can apply it.

<p>Gamemaster 2s ago </p> <p>Draws a result from the Trap Damage table.</p> <div style="border: 1px solid #ccc; padding: 2px; text-align: center; margin-bottom: 5px;">1d4</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center; margin-bottom: 5px;">4</div> <div style="border: 1px solid #ccc; padding: 2px; display: flex; align-items: center;"> /pr 1d burn </div>	<p>Gamemaster 5s ago </p> <p>Draws a result from the Trap Damage table.</p> <div style="border: 1px solid #ccc; padding: 2px; text-align: center; margin-bottom: 5px;">1d4</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center; margin-bottom: 5px;">3</div> <div style="border: 1px solid #ccc; padding: 2px; display: flex; align-items: center;"> /pr 1d-5! burn </div>
<p>Gamemaster 2s ago </p> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> Rolling 1d damage → 3 points of 'burn' damage. </div>	<p>Gamemaster 5s ago </p> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"> Rolling 1d-5 damage → 1 point of 'burn' damage. </div> <div style="border: 1px solid #ccc; padding: 2px; font-size: 0.9em;"> Rolled (5) – 5 = 0.* * – Minimum damage rule applied. (B378) </div>

How to Apply Damage

Damage calculation in GURPS can get rather complex. And honestly, it is just too much to type up, so please watch this video: [how to apply damage](#).

Apply Damage Calculator

Close

Apply 6 points of cr damage to Lady Seraelle

DIRECTLY APPLY:

APPLY DAMAGE OPTIONS:

Hit Location and DR		
Location	Roll	DR
<input type="radio"/> Eye	-	0
<input type="radio"/> Skull	3-4	5
<input type="radio"/> Face	5	3
<input type="radio"/> Right Leg	6-7	3
<input type="radio"/> Right Arm	8	3
<input checked="" type="radio"/> Torso	9-10	20
<input type="radio"/> Groin	11	3
<input type="radio"/> Left Arm	12	3
<input type="radio"/> Left Leg	13-14	3
<input type="radio"/> Hand	15	3
<input type="radio"/> Foot	16	3
<input type="radio"/> Neck	17-18	3
<input type="radio"/> Vitals	-	3

Large-Area Injury [B400](#)

Enter DR:

Type and Wounding Modifiers		
Damage Type	Abbrev	Modifier
<input type="radio"/> Burning	burn	x1
<input type="radio"/> Corrosive	cor	x1
<input checked="" type="radio"/> Crushing	cr	x1
<input type="radio"/> Cutting	cut	x1.5
<input type="radio"/> Fatigue	fat	x1
<input type="radio"/> Impaling	imp	x2
<input type="radio"/> Small Piercing	pi-	x0.5
<input type="radio"/> Piercing	pi	x1
<input type="radio"/> Large Piercing	pi+	x1.5
<input type="radio"/> Huge Piercing	pi++	x2
<input type="radio"/> Toxic	tox	x1
<input type="radio"/> Damage	dmg	x1

No modifier

Enter modifier:

Additional modifier (stacks):

Tactical Rules	
<i>Use systems settings to set defaults.</i>	
<input type="checkbox"/> Blunt Trauma	B379
<input type="checkbox"/> Armor Divisor	B378
<input type="checkbox"/> Hit Location Wounding Modifiers	B398

Other Situations				
<input type="checkbox"/> Ranged, Half Damage (1/2D)	B378			
<input type="checkbox"/> Vulnerability:	B161			
<input type="radio"/> x2	<input type="radio"/> x3	<input type="radio"/> x4		
<input type="checkbox"/> Hardened DR Level:	B47			
<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	<input type="radio"/> 5

Calculation and Results	
BASIC DAMAGE	6 HP
DR	20 Torso
PENETRATING	0 (6 - 20)
MODIFIER	x1 cr
INJURY	0 (0 x 1)

Mook Generator (how to create NPCs)

So now you have your characters in the world... but no one to fight. You need to create a few "mooks" (NPCs). You can use the character creation tools (GCA/GCS), but for "throw away" or low level NPCs, that seems to be

overkill. Instead, you can create the “mooks” directly in our Game Aid. Check out our [“How to create NPCs”](#) video. The GM can type “/mook” in the chat window to bring up the Mook Generator.

Mook Generator ✕ Close

Name: Title: bad guy

Desc: appearance

ST: 10	HP: 10	Speed: 5
DX: 10	Will: 10	Move: 5
IQ: 10	PER: 10	SM: 0
HT: 10	FP: 10	DR: 1
Dodge: 9		

Notes. May include On-the-Fly formulas
[IQ to remember something] [Dodge] [+2 Blessed]

Traits (Ads/Disads/Quirks/Perks)
Ugly [-4 from everyone]
High Pain Threshold; Annoying

Skills
Barter-14
Search-13, Lockpicking-11

Melee
Punch (12) 1d-2 cr
Kick (11) 1d cr

Ranged
Slingshot (9) 1d-3 imp acc 2

Create Mook

The GM can enter information, and press TAB to move to the next field. Once all of the information is entered, click “Test Mook” to verify that the data is correct, and if it is, the button will change to “Create Mook”. Click that to create the new Actor.

The Notes, Traits, Skills, Melee and Ranged values are parsed for **On-the-Fly** formulas.

Traits may be entered one per line, or separated by “;” or a combination of both.

Skills may be entered one per line, or separated by “,” or a combination of both.. Skills are parsed using the format:

<skill name>-<number>

The skill name may include any character except “-”. If you forget the “-”, or the value following the “-” is missing or not a number, an error will be added to the text when you try to create the mook.

Melee attacks must be entered one per line. Melee and ranged attacks are recognized if they follow 1 of 2 patterns:

Name (Skill #) damage-formula optional-attributes

Name (Skill Text) "damage text" optional-attributes

The name may include any character except “(“. As with Skills, if you do not follow the format, an error will be added to the text when you try to create the mook.

Melee attacks can also have the optional parameters, followed by “text”, separated by spaces. The “text” cannot contain spaces. The parameters are:

Reach/reach
Usage/usage
Parry/Parry
ST/st
Block/block

EX:

Knife (12) 1d-2 cut reach c,1 st 10 usage stab
Gaze (12) “Some non-rollable damage” reach c,1

NOTE: The “reach” value “c,1” does not contain a space.

The order after the damage formula does not matter.

Ranged attacks follow the same format as melee attacks. They can also include the optional parameters, followed by text, separated by spaces:

Acc/acc
Rof/RoF/rof
Rcl/rcl
Usage/usage
Range/range
Shots/shots
Bulk/bulk
ST/st

Ex: Long Range Rifle (12) 2d+1 pi range 50/100 bulk -5 acc 3

Ex: Longbow (12) 1d+1 imp range x1/x2.5 bulk -3 acc 4

NOTE: The “range” value “50/100” does not contain a space, and can be of the form “xN” or “xN/xM” which indicates a ST based range.

Equipment follows the format:

<Item name>; X ; \$Y ; Z lbs

Where <Item name> can contain spaces. X is the quantity of items. Y is the per-unit cost of the item, and Z is the weight in LBS. The format must include the “\$” and “lbs” to be valid.

Equipment isn't strictly necessary, since the melee and ranged attacks are described above, but some stat blocks include equipment, so we try to capture what we can.

Chat commands (edited as of Nov 30 2021)


We have added the following chat commands, available to everyone:



/help	Show this list in the chat log.												
!help	Show this list in the chat log.												
/help <i>chatcommand</i> ? <i>chatcommand</i>	Show help information for the chat command.												
/<damage formula>	This is a shortcut to create a damage chat message. Examples: /2d cut /1d-3 pi+												
/:<macroname> <i>arguments</i>	Execute the macro named “macroname”. Arguments can be accessed inside the macro using the GURPS.chatargs variable. The macro can save its output to the variable GURPS.chatreturn to be used as a condition in an <i>if</i> statement												
/anim	Play an animation. See /anim - The animation command												
/clearmb	Remove all modifiers from your Modifier Bucket												
/fp <formula> /hp <formula>	Modify the FP (or HP) of the currently selected character. The <formula> can be one of the following forms: <table border="1" data-bbox="532 1476 1511 1890"> <tr> <td>+X</td> <td>Add X to FP/HP. Will not exceed the max.</td> </tr> <tr> <td>-X</td> <td>Subtract X from FP/HP.</td> </tr> <tr> <td>=X</td> <td>Set FP/HP to X. Will not exceed the max</td> </tr> <tr> <td>+Xd+/-Y</td> <td>Roll X dice (+ or - Y) and add to FP/HP. Will not exceed max.</td> </tr> <tr> <td>-Xd+/-Y</td> <td>Roll X dice (+ or - Y) and subtract that from FP/HP</td> </tr> <tr> <td>+Xd+/-Y!</td> <td>As above, but Xd+/-Y will add a minimum of 1</td> </tr> </table>	+X	Add X to FP/HP. Will not exceed the max.	-X	Subtract X from FP/HP.	=X	Set FP/HP to X. Will not exceed the max	+Xd+/-Y	Roll X dice (+ or - Y) and add to FP/HP. Will not exceed max.	-Xd+/-Y	Roll X dice (+ or - Y) and subtract that from FP/HP	+Xd+/-Y!	As above, but Xd+/-Y will add a minimum of 1
+X	Add X to FP/HP. Will not exceed the max.												
-X	Subtract X from FP/HP.												
=X	Set FP/HP to X. Will not exceed the max												
+Xd+/-Y	Roll X dice (+ or - Y) and add to FP/HP. Will not exceed max.												
-Xd+/-Y	Roll X dice (+ or - Y) and subtract that from FP/HP												
+Xd+/-Y!	As above, but Xd+/-Y will add a minimum of 1												

	<table border="1"> <tr> <td data-bbox="532 111 691 170">-Xd+/-Y!</td> <td data-bbox="691 111 1515 170">As above, but Xd+/-Y will subtract a minimum of 1</td> </tr> <tr> <td data-bbox="532 170 691 233">reset</td> <td data-bbox="691 170 1515 233">Reset the FP/HP back to its maximum</td> </tr> </table> <p>Examples:</p> <table border="1"> <tr> <td data-bbox="532 306 691 365">/hp +1d-3!</td> <td data-bbox="691 306 1515 365">Apply TL3 healing</td> </tr> <tr> <td data-bbox="532 365 691 428">/hp +1d</td> <td data-bbox="691 365 1515 428">Drink a TL3 healing potion</td> </tr> <tr> <td data-bbox="532 428 691 491">/fp reset</td> <td data-bbox="691 428 1515 491">Reset you FP after a night's rest</td> </tr> </table>	-Xd+/-Y!	As above, but Xd+/-Y will subtract a minimum of 1	reset	Reset the FP/HP back to its maximum	/hp +1d-3!	Apply TL3 healing	/hp +1d	Drink a TL3 healing potion	/fp reset	Reset you FP after a night's rest
-Xd+/-Y!	As above, but Xd+/-Y will subtract a minimum of 1										
reset	Reset the FP/HP back to its maximum										
/hp +1d-3!	Apply TL3 healing										
/hp +1d	Drink a TL3 healing potion										
/fp reset	Reset you FP after a night's rest										
/if [On-the-Fly] [<i>OtF</i>]	<p>If the first On-the-Fly succeeds, then execute the following <i>OtF</i> formula. The first formula must be some kind of “check”. Either an Attribute check, a Skill/Spell check, or a Self Control Roll.</p> <p>Examples:</p> <table border="1"> <tr> <td data-bbox="532 699 834 793">/if [A:Knife] [D:Knife]</td> <td data-bbox="834 699 1515 793">If the Knife attack roll succeeds, then roll the Damage for the Knife</td> </tr> </table>	/if [A:Knife] [D:Knife]	If the Knife attack roll succeeds, then roll the Damage for the Knife								
/if [A:Knife] [D:Knife]	If the Knife attack roll succeeds, then roll the Damage for the Knife										
/if [On-the-Fly] /chatcmd	<p>If the first On-the-Fly succeeds, then execute the following chat command.</p> <p>Examples:</p> <table border="1"> <tr> <td data-bbox="532 995 932 1125">/if [S:First*Aid] /hp +1d-3!</td> <td data-bbox="932 995 1515 1125">If the First Aid skill check succeeds, add 1d-3 (with a minimum of 1) HP to the current character</td> </tr> <tr> <td data-bbox="532 1125 932 1255">/if [S:First*Aid] /ev hp +1d-3!</td> <td data-bbox="932 1125 1515 1255">If the First Aid skill check succeeds, add 1d-3 (with a minimum of 1) HP to every player character in the current scene</td> </tr> </table>	/if [S:First*Aid] /hp +1d-3!	If the First Aid skill check succeeds, add 1d-3 (with a minimum of 1) HP to the current character	/if [S:First*Aid] /ev hp +1d-3!	If the First Aid skill check succeeds, add 1d-3 (with a minimum of 1) HP to every player character in the current scene						
/if [S:First*Aid] /hp +1d-3!	If the First Aid skill check succeeds, add 1d-3 (with a minimum of 1) HP to the current character										
/if [S:First*Aid] /ev hp +1d-3!	If the First Aid skill check succeeds, add 1d-3 (with a minimum of 1) HP to every player character in the current scene										
/if [On-the-Fly] TEXT	<p>If the first On-the-Fly succeeds, then display TEXT as a public message</p> <p>Examples:</p> <table border="1"> <tr> <td data-bbox="532 1423 932 1518">/if [S:Traps] You find a Trap!</td> <td data-bbox="932 1423 1515 1518">If the Traps skill check succeeds, create a public chat message: “You find a Trap!”</td> </tr> </table> <p>*Note, this is similar to the “Conditional Text” feature of the On-theFly formulas, however this is a public message. The “Conditional Text” is a whisper to the owner of the character that made the roll.</p>	/if [S:Traps] You find a Trap!	If the Traps skill check succeeds, create a public chat message: “You find a Trap!”								
/if [S:Traps] You find a Trap!	If the Traps skill check succeeds, create a public chat message: “You find a Trap!”										
/if ! [On-the-Fly] [<i>OtF</i>] /if ! [On-the-Fly] /chatcmd /if ! [On-the-Fly] TEXT	<p>Add a “!” before the On-theFly check will invert it.</p> <p>Examples:</p> <table border="1"> <tr> <td data-bbox="532 1818 1019 1913">/if ! [DX] /st on prone</td> <td data-bbox="1019 1818 1515 1913">If the DX check fails, set the status “prone”</td> </tr> </table>	/if ! [DX] /st on prone	If the DX check fails, set the status “prone”								
/if ! [DX] /st on prone	If the DX check fails, set the status “prone”										

	/if ! [IQ] No idea	If the IQ check fails, print "No idea" in the chat log
/if [On-the-Fly] [OtF1] /else [OtF2]		
	<p>As above, but if the first On-the-Fly succeeds, then execute the [OtF1] formula. If it fails, execute the [OtF2] formula</p> <p>Example: /if [S:Acrobatics] [Dodge +2 Acrobatics] /else [Dodge -2 Failed Acrobatics]</p> <p>If the Acrobatics check succeeds, then roll Dodge with +2. If it fails, then roll Dodge with -2</p>	
/if [On-the-Fly] /chatcommand1 /else [OtF2]		
	As above, but if the first On-the-Fly succeeds, then execute chatcommand1. If it fails, execute the [OtF2] formula.	
/if [On-the-Fly] /chatcommand1 /else /chatcommand2		
	As above, but if the first On-the-Fly succeeds, then execute chatcommand1. If it fails, execute chatcommand2.	
/if [On-the-Fly] [OtF1] /else /chatcommand2		
	As above, but if the first On-the-Fly succeeds, then execute the [OtF1] formula. If it fails, execute chatcommand2.	
<pre> /if [/qty -1] ... /if [/uses -1] ... /if [/tr0 -1] ... /if [/tr(ammo) -1] ... </pre>	<p>You can also execute these chat commands as part of the /if statement. So long as the quantity, uses, or identified tracker is zero or greater after the command, it will return true.</p> <p>For example: /if [qty -1 Healing Potion] /hp +1d</p> <p>This will attempt to reduce the QTY of the Healing Potion equipment, and if there was at least 1, it will heal the character using the /hp +1d command</p>	
/if [On-the-Fly] { thenclaus } { elseclause }		
	<p>As of v0.9.4 you can use { } to surround the <i>then</i> and <i>else</i> clauses. This allows you to nest /if statements.</p> <p>These two statements work identically:</p> <pre> /if [ST] You break down the door! /else Umph! Too hard /if [ST] {You break down the door!} {Umph! Too hard} </pre> <p>Notice when using { }, you do not use /else.</p> <p>You can nest as many times as you like. For example:</p>	


<pre>/if [ST] {/if [S:Tra] {/if [IQ-2] {You found the Grail!} {Ah so close}} {Failed tracking}} {Failed ST}</pre>							
	<p>Which will roll [ST], and if it fails shows "Failed ST". But if it succeeds, it rolls [S:Tra], and if that fails, it shows "Failed Tracking". But if it succeeds, it rolls [IQ-2] and then either shows "You found the Grail!" or "Ah so close". NOTE: We are not a compiler, so if you get it wrong, I have no idea what it will say. But if you get it right, it works :wink:</p>						
<pre>/light Dim Bright Angle #rrggb:LightIntensity Anim AnimSpd AnimIntensity /li off</pre>							
	<p><i>Dim</i> - Distance (in hexes) that Dim light extends. <i>Bright</i> - Distance (in hexes) that Bright light extends. <i>Angle</i> - Angle of light. Defaults to 360. <i>#rrggb</i> - Hex representation of the color of light (defaults to white) <i>LightIntensity</i> = Light Intensity (0.1 to 1.0) <i>Anim</i> - name of built in Foundry animation (or enough to match name) <i>AnimSpd</i> - Speed of animation (1-10) <i>AnimIntensity</i> - Intensity of animation (1-10)</p> <p>Examples: /li 6 2 /li 6 2 90 /li 2 1 #ff0000 /li 2 1 #ff0000:0.5 /li 4 1 torch /li 8 8 fog</p> <p>Type /light by itself to see the list of animation names.</p>						
<pre>/maneuver name_pattern /man name_pattern</pre>	<p>Select the first maneuver that matches <i>name_pattern</i> for the current character. You may use "*" in the name pattern. For example: /man All Out*Double will select "All Out Attack (Double)"</p>						
<pre>/qty <formula> <eqt name></pre>	<p>Find the first equipment where the name matches <i><eqt name></i> (wildcards "*" are permitted) and then apply <i><formula></i> to the quantity (Qty). Carried "Equipment" is searched first, then "Other Equipment".</p> <p>The <i><formula></i> can be one of the following forms:</p> <table border="1" data-bbox="532 1501 1510 1722"> <tr> <td>+X</td> <td>Add X to the quantity .</td> </tr> <tr> <td>-X</td> <td>Subtract X from the quantity . The quantity cannot go below 0. If it would, a warning message is displayed.</td> </tr> <tr> <td>=X</td> <td>Set quantity to X.</td> </tr> </table> <p>Example: /qty -1 Healing Potion</p>	+X	Add X to the quantity .	-X	Subtract X from the quantity . The quantity cannot go below 0. If it would, a warning message is displayed.	=X	Set quantity to X.
+X	Add X to the quantity .						
-X	Subtract X from the quantity . The quantity cannot go below 0. If it would, a warning message is displayed.						
=X	Set quantity to X.						

<pre>/qty <formula> o.<eqt name> /qty <formula> o:<eqt name></pre>	<p>Prepending “o.” or “o:” before the equipment name will search the “Other Equipment” first, and then the Carried “Equipment”.</p>						
<pre>/qty <formula> <container>/<container>/<eqt name></pre>	<p>If you have the same equipment in multiple containers, you may specify the container name (or names), to select the specific one.</p> <p>For example, we have 2 Minor Healing Potions. One in the “Carried” equipment, in a “Pouch, Small”, and the second in the “Other” equipment, in a Bag, which is in a Backpack.</p>  <table border="1" data-bbox="532 789 1507 982"> <tr> <td>/qty -1 Minor</td> <td>Will find the first Minor Healing Potion</td> </tr> <tr> <td>/qty -1 Pouch/*Heal</td> <td>Will find the first Minor Healing Potion</td> </tr> <tr> <td>/qty -1 Back/Bag/*Heal</td> <td>Will find the second Minor Healing Potion</td> </tr> </table>	/qty -1 Minor	Will find the first Minor Healing Potion	/qty -1 Pouch/*Heal	Will find the first Minor Healing Potion	/qty -1 Back/Bag/*Heal	Will find the second Minor Healing Potion
/qty -1 Minor	Will find the first Minor Healing Potion						
/qty -1 Pouch/*Heal	Will find the first Minor Healing Potion						
/qty -1 Back/Bag/*Heal	Will find the second Minor Healing Potion						
<pre>/qty <formula></pre>	<p>If the /qty command is executed in an On-the-Fly formula that is in the name or notes of the equipment, it will automatically detect the equipment name, and you do not need to add it to the command.</p> <p>For example, if this On-the-Fly formula was added to the notes of a Healing Potion equipment:</p> <pre>[/if [/qty -1] /hp +1d]</pre> <p>It would execute the /qty -1 command on the Healing Potion equipment, and if there was at least one, it will execute the /hp +1d command.</p>						
<pre>/ra N .ra N</pre>	<p>“Roll Against” N. Similar to the Discord chat macro.</p> <p>For example:</p> <table border="1" data-bbox="532 1577 1507 1703"> <tr> <td>/ra 13</td> <td>Rolls 3d6 against a target value of 13.</td> </tr> <tr> <td>.ra 11</td> <td>Rolls 3d6 against a target value of 11</td> </tr> </table> <p>The result appears as “Default”:</p>	/ra 13	Rolls 3d6 against a target value of 13.	.ra 11	Rolls 3d6 against a target value of 11		
/ra 13	Rolls 3d6 against a target value of 13.						
.ra 11	Rolls 3d6 against a target value of 11						

					
<pre> /ra <Skillname>-N .ra <Skillname>-N /ra "<Skill name>"-N .ra "<Skill name>"-N /ra '<Skill name>' -N .ra '<Skill name>' -N </pre> <p>(use single or double quotes around skill names with spaces in them)</p>	<p>“Roll Against” a skill with level N. Note: skill is “fake”. It is not checked against the current character. It’s only purpose is to display in the chat as a Skill check. Similar to the Discord chat macro.</p> <p>For example:</p> <table border="1" data-bbox="532 558 1507 684"> <tr> <td>/ra Traps-13</td> <td>Rolls 3d6 against a target value of 13.</td> </tr> <tr> <td>.ra Drive-11</td> <td>Rolls 3d6 against a target value of 11.</td> </tr> </table> <p>The result appears like this:</p> 	/ra Traps-13	Rolls 3d6 against a target value of 13.	.ra Drive-11	Rolls 3d6 against a target value of 11.
/ra Traps-13	Rolls 3d6 against a target value of 13.				
.ra Drive-11	Rolls 3d6 against a target value of 11.				
<pre> /roll [On-the-Fly] /r [On-the-Fly] </pre>	<p>Execute the formula as if it was just clicked. Ex: /r [+2 to hit] will add a +2 modifier to the modifier bucket.</p>				
<pre> /rolltable <tablename> </pre>	<p>Execute a roll on <i>tablename</i> and display the result.</p>				
<pre> /private [On-the-Fly] /pr [On-the-Fly] </pre>	<p>As above, but only show the results to yourself.</p>				
<pre> /select <name> /sel <name> </pre>	<p>Select an actor from the current scene. The name will appear above the Modifier bucket indicating the “current actor”. First try to match Actor names, and then if no match is found, search through Token names (useful when using the Token Mold module and the Token names may be different than the underlying Actor).</p> <p>The name must be an exact match, but may include wildcards (“*”).</p> <p>For example, given 3 tokens in the current scene:</p> <ul style="list-style-type: none"> Goblin Master Goblin 1 Goblin 2 				

	<table border="1"> <tr> <td>/sel Goblin</td> <td>Matches no one</td> </tr> <tr> <td>/sel Gob*1</td> <td>Will select Goblin 1</td> </tr> <tr> <td>/sel *Master</td> <td>Will select Goblin Master</td> </tr> </table>	/sel Goblin	Matches no one	/sel Gob*1	Will select Goblin 1	/sel *Master	Will select Goblin Master				
/sel Goblin	Matches no one										
/sel Gob*1	Will select Goblin 1										
/sel *Master	Will select Goblin Master										
/select @self /sel @self	Selects the first character that you own.										
/select /sel	Clears the current actor.										
/showmbs	Shows the modifier buckets for every player.										
/slam	Brings up the Slam calculator. If you have selected a target (using Foundry's targeting system), it will automatically fill in the target's HP.										
/sound <filename> /sound w0.5 <filename> /sound v2 <filename> /sound w0.5 v2 <filename>	Play a sound. The filename must be the full path to the sound. If the 'w' parameter is present, wait that many seconds before starting the sound (useful for timing the sound with an animation). If the 'v' parameter is present, set the volume level.										
/status list /st list	<p>Display a table of the Status Effects IDs and Names. This is necessary because some statuses have the same name, but different ID.</p> <p>For example:</p> <table border="1"> <thead> <tr> <th>ID:</th> <th>NAME:</th> </tr> </thead> <tbody> <tr> <td>shock1</td> <td>'Shocked'</td> </tr> <tr> <td>shock2</td> <td>'Shocked'</td> </tr> <tr> <td>shock3</td> <td>'Shocked'</td> </tr> <tr> <td>shock4</td> <td>'Shocked'</td> </tr> </tbody> </table> <p>The "Shocked" statuses all have the same name, but a different icon, and a different ID. Since the status match must be exact, you can't use "Shocked" as a status... since there are 4 matches. Instead, to turn on level 3 "Shocked", you would use:</p> <p style="text-align: center;">/st on shock3</p>	ID:	NAME:	shock1	'Shocked'	shock2	'Shocked'	shock3	'Shocked'	shock4	'Shocked'
ID:	NAME:										
shock1	'Shocked'										
shock2	'Shocked'										
shock3	'Shocked'										
shock4	'Shocked'										
/status toggle <status> /st t <status>	<p>Finds an Effect based on the name or ID (see /status list above) which must be an exact match, but may contain wildcards "*", and then toggles it for all selected tokens.</p> <table border="1"> <tr> <td>/status t shock2</td> <td>Toggles the shock2:"Shocked" status</td> </tr> <tr> <td>/st toggle exhaust</td> <td>Does nothing, because it does not match a status</td> </tr> <tr> <td>/st t exhaust*</td> <td>Toggles the exhausted:"Fatigued" status</td> </tr> </table>	/status t shock2	Toggles the shock2:"Shocked" status	/st toggle exhaust	Does nothing, because it does not match a status	/st t exhaust*	Toggles the exhausted:"Fatigued" status				
/status t shock2	Toggles the shock2:"Shocked" status										
/st toggle exhaust	Does nothing, because it does not match a status										
/st t exhaust*	Toggles the exhausted:"Fatigued" status										

<pre>/status on <status> /st set <status> /st + <status></pre>	<p>Turn on a status for all selected tokens. If it is already on, it stays on.</p>								
<pre>/status off <status> /st unset <status> /st - <status></pre>	<p>Turn off a status for all selected tokens. If it is already off, it stays off.</p>								
<pre>/status clear /st clear</pre>	<p>Clears ALL Status Effects from the selected tokens.</p>								
<pre>/status <command> @self /st <command> @self</pre>	<p>Applies any of the above status commands, but affects the user's own character, instead of the selected tokens. Most useful in a chat macro.</p>								
<pre>/status <command> :name /st <command> :name</pre>	<p>Applies any of the above status commands, but affects the token (or Actor) that matches 'name' (wildcards are allowed), instead of the selected tokens. Most useful in a chat macro.</p>								
<pre>/trackerN <formula> /trN <formula> /rtN <formula> /resourceN <formula></pre>	<p>Apply the <i>formula</i> to the tracker #N, where N = 0, 1, 2 or 3.</p> <table border="1" data-bbox="532 793 1507 1182"> <tr> <td data-bbox="532 793 1019 898">+X</td> <td data-bbox="1019 793 1507 898">Add X to the tracker. Will not exceed the max (if one is defined).</td> </tr> <tr> <td data-bbox="532 898 1019 961">-X</td> <td data-bbox="1019 898 1507 961">Subtract X from the tracker.</td> </tr> <tr> <td data-bbox="532 961 1019 1056">=X</td> <td data-bbox="1019 961 1507 1056">Set FP/HP to X. This may exceed the max.</td> </tr> <tr> <td data-bbox="532 1056 1019 1182">reset</td> <td data-bbox="1019 1056 1507 1182">Reset the tracker back to 'max', unless it is a "Damage Tracker", in which case it will reset it back to 0.</td> </tr> </table>	+X	Add X to the tracker. Will not exceed the max (if one is defined).	-X	Subtract X from the tracker.	=X	Set FP/HP to X. This may exceed the max.	reset	Reset the tracker back to 'max', unless it is a "Damage Tracker", in which case it will reset it back to 0.
+X	Add X to the tracker. Will not exceed the max (if one is defined).								
-X	Subtract X from the tracker.								
=X	Set FP/HP to X. This may exceed the max.								
reset	Reset the tracker back to 'max', unless it is a "Damage Tracker", in which case it will reset it back to 0.								
<pre>/tracker(<name>) <formula> /tr(<name>) <formula> /rt(<name>) <formula> /resource(<name>) <formula></pre>	<p>As above, but apply the <i>formula</i> to the tracker who's name starts with <name>. For example: /tracker(Control) reset Will reset the "Control Points" tracker back to zero.</p>								
<pre>/uses <formula> <eqtname></pre>	<p>Find the first equipment where the name matches <eqt name> (wildcards "*" are permitted) and then apply <formula> to the Uses column. Carried "Equipment" is searched first, then "Other Equipment".</p> <p>The <formula> can be one of the following forms:</p> <table border="1" data-bbox="532 1644 1507 1936"> <tr> <td data-bbox="532 1644 695 1749">+X</td> <td data-bbox="695 1644 1507 1749">Add X to the USES value. If the value exceeds MAXUSES, it will be limited to MAXUSES</td> </tr> <tr> <td data-bbox="532 1749 695 1843">-X</td> <td data-bbox="695 1749 1507 1843">Subtract X from the USES value. The quantity cannot go below 0.</td> </tr> <tr> <td data-bbox="532 1843 695 1936">=X</td> <td data-bbox="695 1843 1507 1936">Set quantity to X. NOTE: You can set USES to any single word or number.</td> </tr> </table>	+X	Add X to the USES value. If the value exceeds MAXUSES, it will be limited to MAXUSES	-X	Subtract X from the USES value. The quantity cannot go below 0.	=X	Set quantity to X. NOTE: You can set USES to any single word or number.		
+X	Add X to the USES value. If the value exceeds MAXUSES, it will be limited to MAXUSES								
-X	Subtract X from the USES value. The quantity cannot go below 0.								
=X	Set quantity to X. NOTE: You can set USES to any single word or number.								

	<p>Example: /uses -1 Healing Potion /uses =Used Magic Beans</p>						
/uses <formula> o.<eqtname> /uses <formula> o:<eqtname>	Prepending “o.” or “o:” before the equipment name will search the “Other Equipment” first, and then the Carried “Equipment”.						
/uses <formula> <container> <container> <eqt name>							
	<p>If you have the same equipment in multiple containers, you may specify the container name (or names), to select the specific one.</p> <p>For example, we have 2 Minor Healing Potions. One in the “Carried” equipment, in a “Pouch, Small”, and the second in the “Other” equipment, in a Bag, which is in a Backpack.</p>  <table border="1" data-bbox="532 989 1507 1178"> <tr> <td>/uses -1 Minor</td> <td>Will find the first Minor Healing Potion</td> </tr> <tr> <td>/uses -1 Pouch/*Heal</td> <td>Will find the first Minor Healing Potion</td> </tr> <tr> <td>/uses -1 Back/Bag/*Heal</td> <td>Will find the second Minor Healing Potion</td> </tr> </table>	/uses -1 Minor	Will find the first Minor Healing Potion	/uses -1 Pouch/*Heal	Will find the first Minor Healing Potion	/uses -1 Back/Bag/*Heal	Will find the second Minor Healing Potion
/uses -1 Minor	Will find the first Minor Healing Potion						
/uses -1 Pouch/*Heal	Will find the first Minor Healing Potion						
/uses -1 Back/Bag/*Heal	Will find the second Minor Healing Potion						
/w [<player name>] text /w @ text	Send a whisper to the player (or the owner of the character) or the owners of the selected tokens (@).						
/wait <milliseconds>	Delay the execution by X milliseconds. Useful when creating animation “chains”. For example, display an attack animation, wait X milliseconds, and then display an explosion animation: /anim axeattack\wait 1500\anim bloodsplatter						

/anim - The animation command

GM only chat commands:

/everyone hp reset /ev fp reset	Reset FP or HP back to max for every player character in the current scene.
------------------------------------	---

<pre>/everyone [On-the-Fly formula] /ev [On-the-Fly formula]</pre>	<p>Execute the On-theFly formula for every player character in the current scene. NOTE: You cannot use Modifier, Chat or PDF On-the-Fly formulas.</p> <p>For example:</p> <pre>/ev [1d burn] /ev [!Per]</pre>																						
<pre>/everyone fp <formula> /ev hp <formula></pre>	<p>Modify the FP (or HP) of every player character in the current scene. The <formula> can be one of the following forms:</p> <table border="1" data-bbox="646 541 1515 1083"> <tr> <td>+X</td> <td>Add X to FP/HP. Will not exceed the max.</td> </tr> <tr> <td>-X</td> <td>Subtract X from FP/HP.</td> </tr> <tr> <td>=X</td> <td>Set FP/HP to X. Will not exceed the max</td> </tr> <tr> <td>+Xd+/-Y</td> <td>Roll X dice (+ or - Y) and add to FP/HP. Will not exceed max.</td> </tr> <tr> <td>-Xd+/-Y</td> <td>Roll X dice (+ or - Y) and subtract that from FP/HP</td> </tr> <tr> <td>+Xd+/-Y!</td> <td>As above, but Xd+/-Y will add a minimum of 1</td> </tr> <tr> <td>-Xd+/-Y!</td> <td>As above, but Xd+/-Y will subtract a minimum of 1</td> </tr> <tr> <td>reset</td> <td>Reset the FP/HP back to its maximum</td> </tr> </table> <p>Examples:</p> <table border="1" data-bbox="646 1150 1515 1346"> <tr> <td>/ev hp +1d-3!</td> <td>Apply TL3 healing to everyone</td> </tr> <tr> <td>/ev hp +1d</td> <td>Everyone drinks a TL3 healing potion</td> </tr> <tr> <td>/ev fp reset</td> <td>Everyone's FP is reset after a night's rest</td> </tr> </table>	+X	Add X to FP/HP. Will not exceed the max.	-X	Subtract X from FP/HP.	=X	Set FP/HP to X. Will not exceed the max	+Xd+/-Y	Roll X dice (+ or - Y) and add to FP/HP. Will not exceed max.	-Xd+/-Y	Roll X dice (+ or - Y) and subtract that from FP/HP	+Xd+/-Y!	As above, but Xd+/-Y will add a minimum of 1	-Xd+/-Y!	As above, but Xd+/-Y will subtract a minimum of 1	reset	Reset the FP/HP back to its maximum	/ev hp +1d-3!	Apply TL3 healing to everyone	/ev hp +1d	Everyone drinks a TL3 healing potion	/ev fp reset	Everyone's FP is reset after a night's rest
+X	Add X to FP/HP. Will not exceed the max.																						
-X	Subtract X from FP/HP.																						
=X	Set FP/HP to X. Will not exceed the max																						
+Xd+/-Y	Roll X dice (+ or - Y) and add to FP/HP. Will not exceed max.																						
-Xd+/-Y	Roll X dice (+ or - Y) and subtract that from FP/HP																						
+Xd+/-Y!	As above, but Xd+/-Y will add a minimum of 1																						
-Xd+/-Y!	As above, but Xd+/-Y will subtract a minimum of 1																						
reset	Reset the FP/HP back to its maximum																						
/ev hp +1d-3!	Apply TL3 healing to everyone																						
/ev hp +1d	Everyone drinks a TL3 healing potion																						
/ev fp reset	Everyone's FP is reset after a night's rest																						
<pre>/frightcheck /fc</pre>	<p>Open the Fright Check calculator</p>																						
<pre>/mook</pre>	<p>Open the Mook Generator (for NPC creation)</p>																						
<pre>/reimport</pre>	<p>Force all Player owned characters to import. Which will either re-import for the special import location or bring up the Import dialog.</p>																						
<pre>/remote [On-the-Fly formula] /rem [On-the-Fly formula]</pre>	<p>Send the On-the-Fly formula to every connected Non-GM client, and execute it on the client machine (using the client's modifier bucket).</p> <p>For example:</p>																						

	/rem [!Per]
/remote [OtF] <player names> /rem [OtF] <player names>	Execute the On-the-Fly formula on the computer of each connected player in <player names> (GM players are ignored). If a player name contains a space, it must be surrounded by single or double quotes.
/sendmb	Send your modifier bucket to every player
/sendmb <playernames>	Send your modifier bucket to <playernames>. If a player name contains a space, it must be surrounded by single or double quotes.
/sendmb [On-the-Fly modifier]	Set every player's modifier bucket equal to the On-the-Fly modifier. It must be a single OtF modifier formula, but the formula may include multiple bonuses separated by &. For example: /sendmb [+2 luck & +1 magic +3 because I said so!]
/sendmb [OtF mod] <playernames>	As above, but only send the OtF modifier formula to the named players. If a player name contains a space, it must be surrounded by single or double quotes.
/show <attributes> /show <skill names> /show move /show speed /show fright	Show those attributes (or skill levels) for all of the Actors in the current scene. Very useful for the GM to find who has the best PER value (or Stealth, etc.). The values reported to the chat log are clickable, so you can click on each button to roll that attribute (or skill) for that particular character. You may enter multiple values on a single /show command: /show per /show per stealth /show move per fright acrobatics stealth



Multiple chat commands on a single line


You can put multiple chat commands on a single line by using `\` to separate the commands. The `\` acts like a `<newline>`.

While this isn't important for a chat macro, it can be very useful if you are embedding chat commands in an **On-the-Fly** button.

For example:

```
[/sendmb [-2 Darkness]\Please roll [!PER]]
```

Would create a button, that when clicked would send the -2 modifier to all of the users, and then show:




To everyone in the chat log.

Some example chat macros


The party enters a dark room and you want them to make a Blind roll vs their perception, at a -4 due to the dim light. Create a "chat" macro like this:

```
/clearmb  
/r [-4 due to dim lighting]  
/sendmb  
You have entered a dark room, please click [!PER]
```

And it will display in their chat log as:



And each player's Modifier Bucket will look like:



Of course, with the newer commands, the same thing can be accomplished with:


```
/sendmb [-4 due to dim lighting]  
You have entered a dark room, please click [!PER]
```

F.A.Q / "How To"

How do I roll for initiative?

When I roll for initiative, I get this weird number that is greater than basic speed.


The Game Aid uses the GURPS turn order to determine who goes first in a round. The GM can roll for initiative using the combat tracker window. Click the circled button to roll initiative for everyone.




The character with the highest basic speed goes first, then if tied, the character with the highest DX, and then finally, a 1d6 roll. This is evaluated from this formula: " $@\text{basicspeed.value} + (@\text{attributes.DX.value} / 10000) + (1\text{d6} / 100000)$ ". Which combines all of those tests into a single number. Example:


Basic Speed: 6.5, DX: 13, 1d6: 4 => 6.50134
 Basic Speed: 5.25, DX: 11, 1d6: 6 => 5.25116
 Basic Speed: 6.0, DX: 12, 1d6: 1 => 6.00121

As a player, how do I roll a Perception check?

Look on your character sheet for an attribute labeled "Perception" (or "Per") and click the number highlighted in yellow, which may look something like this:  NOTE: This attribute is not displayed on the Simplified character sheet. Also, your GM might send you a chat message that looks like:




If you move your mouse over it, it will become a button that you can press to roll against your character's Perception (PER) value.




How do I request a Perception roll from my players?

As the GM, you have a few options.


1. You can ask them to click the PER attribute on their characters sheets. NOTE: The Simplified character sheet does not have a PER attribute.
2. You can right click on the PER attribute of ANY of the other character sheets, and select "To Everyone" when the following dialog appears:




This will create a “button” in everyone’s chat log:



And when they hover their mouse over it, it will appear as a button which they can click:



If you select “Blindroll to Everyone” it will display this in everyone’s chat log:




And if they click on it, it will whisper the results to the GM and they will not be able to see the results (i.e. “Blind”).

3. You can send a chat message and include the **On-the-Fly** formula [PER] (or [Per]). For example:

You have just entered a new room, please click this button [PER]


Which will appear in everyone’s chat log as:



3a. You can send a chat message and include the On-the-Fly formula [!PER] (or [!Per]). This will request a Blind Roll from the players (a roll where they do not see the result). For example:

It is dark, please click this button [!PER]

Which will appear in everyone’s chat log as:



4. You can have your players use the Foundry chat roll function, with the following formula:

```
/roll 3d6ms@attributes.PER.value  
/r 3d6ms@attributes.PER.value
```

Which rolls 3d6 and computes the margin of success versus the character's PER (perception) value. However, doing so will use Foundry's roll chat message (which doesn't look as good as ours IMHO).

Don't do this. Instead your players can roll Perception for themselves by entering the following command into their own chat:

```
/roll [PER]  
or  
/r [Per]
```

What data paths can I use when building a Foundry roll?

As per <https://foundryvt.com/article/dice/> you can add "attributes" from your character to a roll formula. We support the following data paths:

```
attributes.ST.value  
attributes.DX.value  
attributes.IQ.value  
attributes.HT.value  
attributes.WILL.value  
attributes.PER.value  
HP.value  
FP.value  
dodge.value  
basicmove.value  
basicspeed.value  
parry  
frightcheck  
hearing  
tastesmell  
vision  
touch  
gmod - this is the "global modifier", the number in the modifier bucket  
gmodc - as above, but this will clear the modifier once it is used  
As of v0.8.11:  
currentmove - based on your encumbrance  
currentdodge - based on your encumbrance  
equippedparry - the parry value of the first equipped weapon
```


equippedblock - the block value of the first equipped “weapon” (shield)

NOTE: You will probably only need to know these values if you are using a module (like [Token Tooltip Alt](#)).


How do I request a “Blind” Perception roll? I don’t want my players to know if they have succeeded

As the GM, you can:

1. Right click on the PER attribute of ANY of the other character sheets, and select “Blindroll to Everyone” when the following dialog appears:




This will create a “button” in everyone’s chat log:



2. Send a chat message and include the On-the-Fly formula [!PER] (or [!Per]). For example:

Your skin starts to crawl as you enter the hallway [!PER]

Which will appear as:



3. ~~Have your players use the Foundry chat blind roll function, with the following formula:~~

~~*/blindroll 3d6ms@attributes.PER.value*
/br 3d6ms@attributes.PER.value~~

~~Which rolls 3d6 and computes the margin of success versus the character’s PER (perception) value. However, doing so will use Foundry’s roll chat message (which doesn’t look as good as ours IMHO).~~


Don’t do this. Instead your players can Blind roll Perception for themselves by entering the following command into their own chat:

/roll [!PER] note the “!”
or
/r [!Per]

How do I ask a specific player for a roll / blindroll?

As the GM, you can:

1. Open the player's character sheet and right click on the rollable (yellow) or modifier (orange) that you want to send. The "Send Formula" dialog will appear:




With options to send to this specific player (as a whisper) as a roll or a blindroll.

2. Send a whisper to the player and include the appropriate [On-the-Fly](#) formula. For example:

```
/whisper Chris Please roll [Dodge] to avoid the falling rock
```

Which will appear in Chris's chat log as:



3. Have the player use the Foundry chat roll function

```
/roll 3d6ms@dodge.value  
/r 3d6ms@dodge.value
```

Which rolls 3d6 and computes the margin of success versus the character's PER (perception) value. However, doing so will use Foundry's roll chat message (which doesn't look as good as ours IMHO).


Don't do this. Instead your players can roll Dodge for themselves by entering the following command into their own chat:

```
/roll [DODGE]  
or  
/r [Dodge]
```

Can I apply a global modifier to everyone's next roll?

Yes.


1. You can create/build up the modifier in your bucket, and then use the “Send your Modifier Bucket” buttons on the Modifier tooltip:



2. You can send the modifier in the chat, and the players can click on it if necessary. Of course, this doesn't automatically apply it to their bucket, but it does make it available for everyone. For example, you can send the chat message:

Everyone who wants to attack must include this modifier: [-2 due to poor footing]

Which will appear in everyone's chat log as:



And the players can click on it as needed.

3. You can create a chat macro to build up a set of modifiers and send them to everyone. Create a “chat” macro (not a “script” macro), and enter:

```
/clearmb  
/roll [-2 due to poor footing]  
/sendmb
```

This will clear your own Modifier Bucket, execute the **On-the-Fly** formula “-2 due to poor footing” which will add it to your Modifier Bucket, and then send it to everyone.

Of course, with the newer chat commands, the same thing can be accomplished with:

```
/sendmb [-2 due to poor footing]
```

How can I roll against a RollTable using the Modifier Bucket in a “script” macro?

To roll against the “Critical Head Blow” table, create a “script” macro (not a “chat macro”) and enter:


```
let r = new Roll("3d6 + @mod", { mod: GURPS.ModifierBucket.currentSum()})
game.tables.getName("Critical Head Blow").draw({roll:r})
```

And if you want to clear the Modifier Bucket after the roll, just add:

```
GURPS.ModifierBucket.clear()
```

Can I add the Modifier Bucket to the RollTable formula (without making a macro)? (e.g. Reaction tables)

Yes! You can add "+ @gmod" to add in the global modifier (what is showing in the modifier bucket), or "+ @gmodc" which will add the modifier to the table roll, and then clear it.



Modules

Here is a list of highly recommended modules:

[Expander](#)

[GM Notes](#)

[Permission Viewer](#)

[Pings](#)

Token Tooltip Alt

We have built a configuration for Token Tooltip Alt. The GMs and owners will see the full layout, Players will only see a text representation of the NPC’s status.

We set it up so that it displays:

Current HP/Max HP

Current FP/Max FP

Current Move
Dodge / Parry / Block **
Perception


** If the character does not have block, then it is displayed as "D: <dodge>/P:<parry>"

And Players looking at NPCs, will only see a text message with some indication of health. The NPC heart is black for hostile, blue(purple?) for neutral and green for friendly.


The NPC text is
HP < -HP MAX: "Critically wounded"
HP <= 0 : "Severely wounded"
HP <= 1/3 HP MAX: "Wounded"
FP < -FP MAX: "Unconscious"
FP <= 0 : "Barely Conscious"
FP <= 1/3 FP MAX: "Tired"

If neither wounded or tired, then it will show "OK". So an NPC that is 1/2 HP and 1/2 FP will still show as "OK" (since the Players wouldn't really know... not in the heart of battle, IMHO)

Of course you can change this yourself... but I warn you... editing the config is dangerous... one small error and nothing displays. No error, no nothing. I spent a lot of time trying to get this to work... just so all of you wouldn't have to :grin:



You can download the configuration ([token-tooltip-alt-config.txt](#)) from this [ZIP file](#). You have to copy the text and paste it into Token Tooltip Alt's Tooltip Manager by using the "Import" button:



And make certain that "Custom" is checked!

PDFFoundry


<https://foundryvt.com/packages/pdffoundry/>

You may have noticed some blue underlined text on the character sheet:

Skills	SL	RSL	PTS	Ref
Lockpicking/TL3	12	IQ-1	1	B206
Innate Attack (Beam)	14	DX+4	8	B201
Mathematics	11	IQ-2	1	Lite 15
Writing	12	IQ-1	1	Lite 17
Acting	12	IQ-1	1	Lite 13
Diplomacy	11	IQ-2	1	Lite 15
First Aid/TL3	13	IQ+0	1	Lite 14
Knife	13	DX+3	8	Lite 15

These are page references to the various GURPS PDFs. If you have the PDFFoundry module installed, you can define the location of your PDFs, and the character sheet will open them in game (and allow you to share them with your clients).

Once you have PDFFoundry installed, open the “Journal” tab on the side bar, and click on the “Create PDF” button at the bottom. It will open this dialog:




Click the Browse button to find your PDF. It will be copied into the Foundry folder.

NOTE: If you are remotely hosting your Foundry, this process may be more involved. You may have to use your remote host’s facility to upload the file, and then add it to Foundry. In either case, the PDF will count against your storage limit.

Enter the PDF Code from this list: https://gurpscharactersheet.com/page_references.html (although the list is incomplete, you get the idea). “B” for Basic Set, “P for Powers, etc.

NOTE: If you have separate Basic Set Characters and Campaigns PDFs, you can change the system setting “Basic Set PDF(s)”



Use “B” for the Basic Set Characters PDF, and “BX” for the Basic Set Campaigns PDF.

Now click on the “Test Settings” button. It will open the PDF to page 5 (note, if testing the separate Basic Set Campaigns PDF “BX”, it should open to page 340 instead). If it opens to a different page, enter the difference in “Page Offset”.

Click “Close” (there is no “save” button).

Now all “Ref” columns and [On-the-Fly](#) entries like: “[PDF:B101]” can open to the PDF.

Dice so Nice!


<https://foundryvt.com/packages/dice-so-nice/>

This has nothing to do with this game aid. But it is SUCH A NEAT module, you have to install it. The game just loses something if you can’t see dice rolling across the table. Trust me. It is definitely worth the 10 seconds it takes to install and enable.

Chat Portrait

<https://foundryvt.com/packages/chat-portrait/>

Again, nothing to do with our game aid, but it adds such a nice feature to the chat log:



It is an Alpha (maybe a Beta?)!

We have come a long way. The system is playable, but there are still things we want to add. We try to keep a running list of the things we are working on or the things we have completed, below in [TO DO. What is “on the](#)

[list](#)?. Feel free to comment below if you have a feature you would like added, or you find a bug. Or make an issue here: <https://github.com/cnormand/gurps/issues>

Chrome vs Firefox

We have found that the user interface works fine in Chrome. Unfortunately, there may be some layout issues with Firefox, and we don't have the time (or the skills) to figure out why. So for now, we HIGHLY recommend having all of your clients connect using Chrome.

(That said, I've had a good experience using the MS Edge browser, which is based on Google's Chrome, even on Macintosh. — Nick)

Form vs Function

Or put another way, "looks good" vs "works good". This is still a very young project, and as such, we have focused more on the "works good" than "looks good". If you notice a visual flaw, feel free to add it as a comment below or add it as an issue here: <https://github.com/cnormand/gurps/issues>, but remember, we are still working on getting everything working.

TO DO. What is "on the list"?

My list of TODO items grows constantly. Once I learn how to do something in Foundry, it makes me think of a new feature I might add. **I am constantly adding to this list... seriously... you might be reading this right now, and I might be editing it. ;-)**

My current TODO list, in no particular order (and this is my "dev speak", so if it doesn't mean anything to you, don't take this personally). Items with a check mark have been completed... but if you think of something, feel free to add a comment.

- ✓ Localization (yes, I know I was supposed to be doing this all along).
We have some... but do we have enough?
- ✓ Add 3d6 roll button on desktop
- ✓ Fix missing b378 message in damage chat
- ↳ Have character save import filename to reimport quickly (NOT POSSIBLE due to Javascript security)
- ✓ Bad PDF links go to SJG website
- ✓ Ability for certain modifiers to stack/add to themselves. "[-1 due to range] per hex" would sum up instead of duplicate.
- ✓ Critical success/failure
- ✓ Allow limited editing of items (for temporary effects)
- ✓ Allow drag and drop from "other" equipment to "carried", for GCA import (everything is other)
- ✓ Disable Parry of "No". It shouldn't be able to roll.
- ✓ Add a status of "recipient of deceptive/telegraphic attack" to let user know they have +/- to def roll
- ✓ Fix ModifierBucket z-index issue. Need to create 2 applications.. One hidden (z-index 999)
- ✓ Fix Roll chat messages to use template and set type to ROLL for module compatibility
- ✓ Map status effects to modifiers. Create GURPS specific statuses (partially complete v0.6.5)
- ✓ Fix Initiative to use GURPS Basic Speed (then DX, then 1d6 in case of ties?) per RAW
- ✓ Get the Modifier Bucket to actually display the current (local) global modifier.
- ✓ Calculate the range modifier when targeting
- ✓ Apply Range modifier to global Modifier stack.

- ✓ Allow dragging a "damage" chat message to a character sheet (or entry in the combat tracker) to apply damage.
- ✓ When we drop damage, display a dialog with combat options (subtract DR per location, apply wound modifiers, etc.)
- ✓ Allow Items to be added as Equipment (so some can come from import, and some from the Items list).
- ✓ Build a dialog for Modifier Bucket to edit current list, and display list of common modifiers
- ✓ Allow GM to "send" current modifier stack to another player
- ✓ Allow GM to see the individual player's modifier buckets
- ✓ Investigate "status effects" and define (or adapt to) standard GURPS statuses (Stunned, Shock, etc.) and see how they can add to the Modifier bucket.
- ✓ Build a combat focused character sheet
- ✓ Open a specialized combat-focused character sheet on the currently selected item in the combat tracker. Can we embed it in the tracker (and/or should we try)? In the Fantasy Ground combat tracker, you could expand an entry and it would show melee/ranged attacks and general defense options. I am wondering if we built yet-another character sheet, mainly for NPCs that only shows attributes (and not points), current level of encumbrance, dodge. Current HP/FP (and possible other resources, ER, CP, etc.), Melee/Ranged attacks. Skill names and level, and a compressed list of Advantage names. And (editable) character Notes, so the GM can add On-the-Fly formulas.
- ✓ Support other character sheets. Simplified/Gencon
 - "Old School" BasicSet character sheet
 - GCA Phoenix style character sheet (need outside help to get this done)
- ✓ Add button to quick cycle through character sheets
- ✓ Build Full GCS export template
- ✓ Build better GCA export VBScript
- ✓ Make character sheet "macro-able", so that players can build script macros
- ✓ Enhance GCS output to support hierarchy of Advantages, Skills and Spells (containership)
- ✓ Saved/named Buckets or Bucket presets (regular collections of well used modifiers) to macrobar
- ✓ Remove +0 for range from Ruler
- ✓ Add UP/DOWN buttons to FP / HP title bar to quickly change value
- ✓ Extra effort. [+1 Feverish Defense *Cost 1FP] / [-4 to hit *Max:9] "Charge Attack"
- ✓ [Heroic Charge *Cost 1FP] ? NO bonus, but applies cost if used
- ✓ Would it be possible to tie GCS export/FVTT import into a single process? Foundry requests directly from running instance of GCS.
- ✓ Parse chat messages for "gurpslinks" (allows On-the-Fly text in rollable tables)
- ✓ GM sends "just roll under this" /w playername [ST12] or [Stealth - 5].
- ✓ Add error reporting to the import process. Send a chat message concerning the success or failure of a character import (so the player doesn't have to know how to bring up the debugger). Partially works. A bad parse error in the XML is hidden.
- ✓ Last skill or advantage in list display at the bottom of the area (especially noticeable if sizes very different)
- ✓ System settings:
 - ✓ Which RANGE rules to use (BasicSet / Monster Hunters)
 - ✓ Display Change Log
 - Setting to change Simplified sheet hit locations (1 vs all)
 - Organize system settings (currently first added, first displayed)
 - ✓ Tooltip over DR locations showing equipment
 - ✓ System setting to turn off mod tool tip and range modifier

- Change game direction/rotation so that it doesn't rotate the icon, but instead rotates an arrow or better yet, a colored border (indicating front, side and back hexes) kind of like [Custom GURPS Token Hex for VTTs](#)
- Use <https://foundryvtt.com/packages/about-face/> (it does this already)
- ❑ Add "Combat Notes" display under Melee/Ranged (discussed in issue #327)
- ✓ Add [Dodge] to OtF formulas
- ✓ Add Attacks (melee/ranged) to OtF formulas
- ✓ Revamp OtF formula parsing to allow quotes to enclose spaces
- ✓ Create Blind Roll mechanic for OtF formulas
- ❑ Drag and drop visual/sound effects from a palette (compendium) to an "item" on a character sheet and if the user has selected a target, and a roll on that "item" succeeds, display the effect on the target.
- ✓ NPC import sheet (allows GM to quickly create low level npcs)
- ✓ Build "stat block" free form text importer to easily create NPCs/monsters
- ❑ GCS Conditional Modifiers?
- Add a GM note to character sheets that only the GM can edit and see <https://foundryvtt.com/packages/gm-notes/>
- ❑ Check permissions for editing/viewing sheets.
- ✓ From a user: I would like to create the following: I draw a polygon and with the help of the Multilevel Token Mod execute a macro whenever a token moves on that polygon. This macro should return a blind GM roll in the chat with the result of a Vision (Hearing, Taste Smell, etc.) roll. It would be great if that chat entry looked like the ones you already have in place for Success Rolls [Roll vs Vision (12) 11 Success! made it by 1]. But since I am not a coder I have no idea how to do that. Best I have come up so far is `/br 3d6ms<=(@vision)`. I think it would help if we rewrite gurps.js-onRoll() to use a template instead of concatenate strings. This can be accomplished by "rolling" On-the-Fly formulas. EX: `/r [!Vision]`
- ✓ Permit the user to define hit locations not supported in GCS, specifically the humanoid hit-locations from Low Tech. I was able to create them using a library for Low Tech Instant Armour but was not able to tell GCS to provide DR for locations not defined in GCS. May not be possible. @JamesH
- ❑ Mild pain (-1) status effect
- ✓ Apply Modifier bucket to normal rolls `/r` or roll tables (gmod & gmodc)
- ❑ Add tabs to combat sheet for Ads, Skills, Spells & Equipment
- ✓ Support for Conditional Injury (Pyramid 120)
- ✓ Collapsible chat messages (to "hide" the damage result calculations)
- ❑ Support worlds with different G-force constants, especially for encumbrance and move/speed.
I can see G affecting encumbrance. And we could recalc which level they are at, based on the total equipment weight. But move/speed are calculated from DX and HT, I don't see how they are affected by G.
- ✓ Add Parry and Block to On-the-Fly (search through melee). [Parry:2 hand]
- ✓ Right click to change qty or delete equipment
 - ✓ Add a visual control (button) to do so as well.
- ✓ Hold SHIFT key for private roll (GM)
- ✓ Added @gmod, @gmodc to roll macros
- ✓ Sync PC encumbrance, weapon parry/block with NPC parry/block, damage dodge
- ✓ Expand On-the-Fly to handle arbitrary targeted rolls (So GM can make players roll against a skill they do not own). EX: `[S:skill:10]` and a default? `[S:skill(DX-4)]`

- ❑ Chat functions for falling damage, throwing damage, etc. Based on current character's ST/HP/HT?
- ✓ Chat functions for clearing modifier bucket, send bucket to player name, send to everyone
- ❑ Provide in-Foundry help for chat syntax for rolls, modifiers, etc... I wonder if we can programmatically build a Journal entry with all of this information in it?
 - Provide a point and click solution as well. Right now this feels like the Unix of game systems -- i.e., super powerful as long as you are comfortable with the command line.
- ❑ Ammo counter? Tied to equipment? # Shots: dec 1, all, reload
- ✓ Export GCS image. Is there a GCA image? Yes, there is a filename.
- ❑ Lost limb status (missing arm, leg, head ;-)
- ❑ Figure out all the magic mouse combinations and provide visual controls or indicators so the users know that they are there, and what they do. (I for one will never remember what is left-clickable, right-clickable, shift-clickable, ctrl-clickable,
 - ✓ nor will I remember any of the special chat messages. (type /help)
 - ✓ /roll [otf] be able to directly trigger an OtF formula instead of just displaying it
 - ✓ Journal entries parse OtF
 - ✓ Add support for the Chat Portrait module. Currently does not show on 'targeted' or 'damage' messages.
 - ✓ Add ability to track other transient values: Control Points, Energy Reserve, etc. "additionalresources". For resources/consumables (HP, FP, ER, CP, ammo, etc...) create a GUI control with increment/decrement + reset (reset the current count to the max) and other functionality (for example typing in a delta, like "+5" to add 5 points).
- ❑ Would it be possible to add the option for vehicle actors into the GURPS system? My particular interest is in setting up space ships using GURPS Spaceships 4e.
 - ✓ A way to push a specific amount of damage, HP or FP, to players. Ex: "Everyone loses 2 FP"
 - ✓ A way to reset HP/FP for everyone
 - ✓ Add *Costs ?FP to damage OtF [2d burn *Costs 2FP]
 - ✓ Get current parry/block based on equipped
- ❑ Open up Damage API so script macros can make/apply damage.
 - ✓ Add copy to clipboard on Send to GM. Can't copy to clipboard, but can send to input window
 - ✓ Allow X dmg (no dice roll)
- ❑ [S:Merchant<S:Streetwise<S:"Current Affairs"] where Streetwise and Current Affairs get rolled as complementary skills and automatically apply +1 or -1 to the Merchant roll
- ❑ Make hover headers for Mook Generator with format info from User Guide.
- ❑ Have Fright Check (and reaction rolls) display an OtF mod [+2 due to fright check] so GM can use that to roll against the Fright Check table (or reaction table)
 - ✓ Also, is it also possible for the dice bucket modifier to be sent to everyone? So it should have something like [Everyone] button, besides individual players.
- ❑ Allow GMs to customize the modifier bucket (almost there now! V0.9.2 added custom Journal entries)
 - ✓ Chat command to clear LastActor
 - ✓ Chat command to set last actor
 - ❑ Chat command to roll on table using gmod
 - ✓ /hp /fp allow dice roll as well
 - ✓ Skill check @Costs FP (for spell casts)
- ❑ Option to not receive notification after sending modifier buckets to players. Or get it on notification window.
- ❑ Also option to reset the bucket after sending.
- ❑ DOC: Add Mook Generate stat block format
- ❑ DOC: Drag and drop OtF

- ❑ DOC: System settings
- ❑ DOC: Pen-paper -> VTT (not so different)
- ✓ Refactor 'mapped' and 'attribute' OTF together (so mapped can be used in linked skills [S:Traps|Vision-5])
- ✓ Show last actor (to GM) over modifier bucket (system setting?)
- ✓ Allow doubleclick editing on NpcSheet
- ✓ How to open window for equipment.externallink

Disclaimer ;-)

Remember, this game aid is in the Beta stage. Be gentle. Join us on [Discord](#) with suggestions / advice / questions / complaints.

If you like our work, please support us on GitHub <https://github.com/sponsors/cnormand> or [support us on Ko-Fi](#)



Legal

The material presented here is my original creation, intended for use with the [GURPS](#) system from [Steve Jackson Games](#). This material is not official and is not endorsed by [Steve Jackson Games](#).

[GURPS](#) is a trademark of Steve Jackson Games, and its rules and art are copyrighted by Steve Jackson Games. All rights are reserved by [Steve Jackson Games](#). This game aid is the original creation of Chris Normand/Nose66 and is released for free distribution, and not for resale, under the permissions granted in the [Steve Jackson Games Online Policy](#)

This game system DOES NOT provide information contained in paid publications. It is only intended to allow people to play [GURPS](#) online using their [GURPS](#) books/PDFs.

GCS is copyrighted 1998-2021 by Richard A. Wilkes All rights reserved gurpscharactersheet.com